

# Schema documentation for desadv\_xml11\_CZ.xsd

july 31, 2025

## Table of Contents

Namespace: ""	3
Schema(s)	3
Main schema desadv_xml11_CZ.xsd	3
Included schema header_xml11.xsd	4
Element(s)	4
Element biztalk_1	4
Element header	4
Element delivery	4
Element message	5
Element messageID	5
Element sent	6
Element subject	6
Element interchange	6
Element interchange_date	6
Element interchange_time	7
Element message_count	7
Element to	7
Element address	7
Element state	8
Element referenceID	8
Element handle	8
Element process	9
Element ediid	9
Element routing	9
Element test_indicator	10
Element from	10
Element manifest	10
Element document	11
Element userdocid	11
Element name	11
Element description	11
Element message_number	12
Element attachment	12
Element index	12
Element filename	13
Element type	13
Element body	13
Element xml_document	14
Element form_header	14
Element document_type	15
Element message_function	16
Element document_date	17
Element document_time	17
Element document_date_format	17
Element delivery_date	18
Element delivery_time	18
Element delivery_date_format	18
Element collection_date	19
Element collection_time	19
Element collection_date_format	19
Element delivery_date_latest	19
Element delivery_time_latest	20
Element delivery_date_latest_format	20
Element delivery_date_earliest	20
Element delivery_time_earliest	21
Element delivery_date_earliest_format	21
Element departure_date	21
Element departure_time	22
Element departure_date_format	22
Element ultimate_customer_date	22

Element ultimate_customer_date_latest .....	22
Element country_origin .....	23
Element transport_mode .....	23
Element transport .....	24
Element vehicle_licence .....	24
Element free_text .....	24
Element registration .....	25
Element referencies .....	25
Element contract_number .....	26
Element order_number .....	26
Element date_of_order .....	27
Element time_of_order .....	27
Element date_of_order_format .....	27
Element supplier_order_number .....	28
Element date_of_supplier_order .....	28
Element time_of_supplier_order .....	28
Element date_of_supplier_order_format .....	28
Element meaning_of_reference_number .....	29
Element reference_number .....	29
Element date_of_reference_number .....	30
Element time_of_reference_number .....	30
Element date_of_reference_number_format .....	30
Element promotion_number .....	31
Element despatch_advice .....	31
Element date_of_despatch_advice .....	31
Element time_of_despatch_advice .....	32
Element date_of_despatch_advice_format .....	32
Element buyer .....	32
Element party_qualifier .....	33
Element party_ean .....	34
Element party_name_1 .....	35
Element party_name_2 .....	35
Element party_name_3 .....	35
Element party_name_4 .....	36
Element party_name_5 .....	36
Element street_1 .....	36
Element street_2 .....	37
Element street_3 .....	37
Element street_4 .....	37
Element place .....	38
Element postcode .....	38
Element country_code .....	38
Element country_name .....	39
Element company_id .....	39
Element tax_id .....	39
Element contact_id .....	40
Element contact .....	40
Element contact_tel .....	40
Element contact_fax .....	41
Element contact_email .....	41
Element purchaser .....	41
Element delivery_place .....	42
Element invoicee .....	43
Element store .....	44
Element ultimate_customer .....	45
Element supplier .....	45
Element storehouse .....	46
Element seller .....	47
Element line_items .....	48
Element item .....	48
Element package_number .....	49
Element package_reference .....	49
Element package_type .....	50
Element total_gross_weight .....	51
Element total_net_weight .....	51
Element total_weight .....	51
Element total_weight_unit .....	52
Element height_dim .....	52
Element height_unit .....	52
Element stacking_package .....	53
Element ssc_code .....	53
Element next_lower_package_quantity .....	53

Element next_lower_package_type .....	54
Element articles .....	55
Element article .....	56
Element item_number .....	57
Element article_ean .....	57
Element article_number .....	58
Element article_number_buyer .....	58
Element article_number_additional .....	58
Element article_number_additional_type .....	59
Element item_type .....	59
Element specification .....	60
Element quantity .....	60
Element unit .....	60
Element number_of_units .....	61
Element production_date .....	61
Element packaging_date .....	61
Element best_before_date .....	61
Element expiry_date .....	62
Element conformity_declaration .....	62
Element order_line_number .....	62
Element batch_number .....	63
Element gross_price .....	63
Element vat_rate .....	63
Element serial_number .....	64
Element net_weight .....	64
Element tare_weight .....	64
Element free_text_law .....	65
Element eudr_reference_number .....	65
Element eudr_verification_number .....	65
Element srn_package .....	66
Element srn_number .....	66
Element summary .....	66
Element number_of_items .....	67
Simple Type(s) .....	67
Simple Type short_time .....	67
Simple Type time .....	67
Attribute(s) .....	67
Attribute xml_document / @type_identifier .....	67
Attribute xml_document / @version_number .....	68
Attribute xml_document / @subversion_number .....	68
Attribute @type_identifier .....	68
Attribute @version_number .....	68
Attribute @subversion_number .....	68

**Namespace: ""**

**Schema(s)**

**Main schema desadv\_xml11\_CZ.xsd**

Namespace	No namespace
Annotations	<p>Schema name: desadv_xml11_CZ</p> <p>Author: Karin Pustaiova, EDITEL CZ, s.r.o.</p> <p>Updated by: Alena Matouskova, EDITEL CZ, s.r.o.</p> <p>changelog v1-1: + elements gross_price and vat_rate added into the parent element 'article' + added enumeration PCE for next_lower_package_type</p> <p>changelog v1-2: + added serial_number to element article</p> <p>changelog v1-3: + added total_gross_weight, total_net_weight (related to whole consignment) into the parent element 'item' + added order_line_number, net_weight, tare_weight into the element 'article'</p> <p>changelog v1-4: + element ultimate_customer_date, ultimate_customer_date_latest added into parent element 'form_header' + element free_text_law, eudr_reference_number, eudr_verification_number added into parent element 'article'</p>

	+ element <code>srn_package</code> added into parent element 'article' + element <code>srn_number</code> added into parent element 'srn_package'
Properties	attribute form default: unqualified
	element form default: unqualified
	version: 1.4

## Included schema header\_xml11.xsd

Namespace	No namespace
Annotations	Schema name: header_xml11  changelog v1-1: + element 'routing' added into the parent element 'state' changelog v1-2: + element 'message_count' added into the parent element 'message'
Properties	attribute form default: unqualified
	element form default: unqualified
	version: 1.2

## Element(s)

### Element biztalk\_1

Namespace	No namespace
Properties	content: complex
Model	header , body
Children	body, header
Instance	<pre>&lt;biztalk_1&gt;   &lt;header&gt;{1,1}&lt;/header&gt;   &lt;body&gt;{1,1}&lt;/body&gt; &lt;/biztalk_1&gt;</pre>
Source	<pre>&lt;xsd:element name="biztalk_1"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element ref="header"/&gt;       &lt;xsd:element ref="body"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

### Element header

Namespace	No namespace
Properties	content: complex
Used by	Element biztalk_1
Model	ALL(delivery manifest)
Children	delivery, manifest
Instance	<pre>&lt;header&gt;   &lt;delivery&gt;{1,1}&lt;/delivery&gt;   &lt;manifest&gt;{1,1}&lt;/manifest&gt; &lt;/header&gt;</pre>
Source	<pre>&lt;xsd:element name="header"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="delivery" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="manifest" maxOccurs="1" minOccurs="1"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

### Element delivery

Namespace	No namespace
-----------	--------------

Properties	content: complex
Used by	Element header
Model	ALL(message to from)
Children	from, message, to
Instance	<pre>&lt;delivery&gt;   &lt;message&gt;{1,1}&lt;/message&gt;   &lt;to&gt;{1,1}&lt;/to&gt;   &lt;from&gt;{1,1}&lt;/from&gt; &lt;/delivery&gt;</pre>
Source	<pre>&lt;xsd:element name="delivery"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="message" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="to" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="from" maxOccurs="1" minOccurs="1"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element message

Namespace	No namespace
Properties	content: complex
Used by	Element delivery
Model	ALL(messageID sent{0,1} subject{0,1} interchange{0,1} interchange_date interchange_time message_count{0,1})
Children	interchange, interchange_date, interchange_time, messageID, message_count, sent, subject
Instance	<pre>&lt;message&gt;   &lt;messageID&gt;{1,1}&lt;/messageID&gt;   &lt;sent&gt;{0,1}&lt;/sent&gt;   &lt;subject&gt;{0,1}&lt;/subject&gt;   &lt;interchange&gt;{0,1}&lt;/interchange&gt;   &lt;interchange_date&gt;{1,1}&lt;/interchange_date&gt;   &lt;interchange_time&gt;{1,1}&lt;/interchange_time&gt;   &lt;message_count&gt;{0,1}&lt;/message_count&gt; &lt;/message&gt;</pre>
Source	<pre>&lt;xsd:element name="message"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="messageID" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="sent" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="subject" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="interchange" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="interchange_date" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="interchange_time" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="message_count" maxOccurs="1" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element messageID

Namespace	No namespace				
Annotations	Unique Identification ID of The Message				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>0</td></tr> <tr> <td>maxLength</td><td>14</td></tr> </table>	minLength	0	maxLength	14
minLength	0				
maxLength	14				
Used by	Element message				
Source	<pre>&lt;xsd:element name="messageID"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Unique Identification ID of The Message&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="14"/&gt;       &lt;xsd:minLength value="0"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>				

	<pre> &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>
--	--

## Element sent

Namespace	No namespace
Annotations	Sending Date in Short Form
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Element message
Source	<pre> &lt;xsd:element name="sent"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sending Date in Short Form&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element subject

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 0
	maxLength 3
Used by	Element message
Source	<pre> &lt;xsd:element name="subject"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="3"/&gt;       &lt;xsd:minLength value="0"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element interchange

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 0
	maxLength 14
Used by	Element message
Source	<pre> &lt;xsd:element name="interchange"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="14"/&gt;       &lt;xsd:minLength value="0"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element interchange\_date

Namespace	No namespace
-----------	--------------

Type	xsd:date
Properties	content: simple
Used by	Element message
Source	<code>&lt;xsd:element name="interchange_date" type="xsd:date"/&gt;</code>

## Element interchange\_time

Namespace	No namespace
Type	xsd:time
Properties	content: simple
Used by	Element message
Source	<code>&lt;xsd:element name="interchange_time" type="xsd:time"/&gt;</code>

## Element message\_count

Namespace	No namespace				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>14</td></tr> </table>	minLength	1	maxLength	14
minLength	1				
maxLength	14				
Used by	Element message				
Source	<pre> &lt;xsd:element name="message_count"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:minLength value="1"/&gt;       &lt;xsd:maxLength value="14"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

## Element to

Namespace	No namespace
Properties	content: complex
Used by	Element delivery
Model	ALL(address{0,1} state)
Children	address, state
Instance	<pre> &lt;to&gt;   &lt;address&gt;{0,1}&lt;/address&gt;   &lt;state&gt;{1,1}&lt;/state&gt; &lt;/to&gt; </pre>
Source	<pre> &lt;xsd:element name="to"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="address" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="state" maxOccurs="1" minOccurs="1"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element address

Namespace	No namespace				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>70</td></tr> </table>	minLength	1	maxLength	70
minLength	1				
maxLength	70				

Used by	Elements from, to
Source	<pre> &lt;xsd:element name="address"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element state

Namespace	No namespace
Properties	content: complex
Used by	Elements from, to
Model	ALL(referenceID{0,1} handle{0,1} process{0,1} ediid routing{0,1} test_indicator{0,1})
Children	ediid, handle, process, referenceID, routing, test_indicator
Instance	<pre> &lt;state&gt;   &lt;referenceID&gt;{0,1}&lt;/referenceID&gt;   &lt;handle&gt;{0,1}&lt;/handle&gt;   &lt;process&gt;{0,1}&lt;/process&gt;   &lt;ediid&gt;{1,1}&lt;/ediid&gt;   &lt;routing&gt;{0,1}&lt;/routing&gt;   &lt;test_indicator&gt;{0,1}&lt;/test_indicator&gt; &lt;/state&gt; </pre>
Source	<pre> &lt;xsd:element name="state"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="referenceID" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="handle" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="process" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="ediid" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="routing" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="test_indicator" maxOccurs="1" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element referenceID

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Element state
Source	<pre> &lt;xsd:element name="referenceID"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element handle

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Element state



Source	<pre>&lt;xsd:element name="handle"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>
--------	--

## Element process

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Element state
Source	<pre>&lt;xsd:element name="process"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element ediid

Namespace	No namespace
Annotations	Unique Identification of Party (usually GLN)
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 14
Used by	Element state
Source	<pre>&lt;xsd:element name="ediid"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Unique Identification of Party (usually GLN)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="14"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element routing

Namespace	No namespace
Annotations	Routing Address
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 14
Used by	Element state
Source	<pre>&lt;xsd:element name="routing"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Routing Address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;</pre>

```
<xsd:maxLength value="14"/>
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element test\_indicator

Namespace	No namespace
Annotations	In Case of Test Message Set "1"
Type	restriction of xsd:string
Properties	content: simple
Facets	length 1
Used by	Element state
Source	<pre>&lt;xsd:element name="test_indicator"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In Case of Test Message Set "1"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:length value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element from

Namespace	No namespace
Properties	content: complex
Used by	Element delivery
Model	ALL(address{0,1} state)
Children	address, state
Instance	<pre>&lt;from&gt;   &lt;address&gt;{0,1}&lt;/address&gt;   &lt;state&gt;{1,1}&lt;/state&gt; &lt;/from&gt;</pre>
Source	<pre>&lt;xsd:element name="from"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="address" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="state" maxOccurs="1" minOccurs="1"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element manifest

Namespace	No namespace
Properties	content: complex
Used by	Element header
Model	ALL(document attachment{0,1})
Children	attachment, document
Instance	<pre>&lt;manifest&gt;   &lt;document&gt;{1,1}&lt;/document&gt;   &lt;attachment&gt;{0,1}&lt;/attachment&gt; &lt;/manifest&gt;</pre>
Source	<pre>&lt;xsd:element name="manifest"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="document" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="attachment" maxOccurs="1" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element document

Namespace	No namespace
Properties	content: complex
Used by	Element manifest
Model	ALL(userdocid name description{0,1} message_number{0,1})
Children	description, message_number, name, userdocid
Instance	<pre>&lt;document&gt;   &lt;userdocid&gt;{1,1}&lt;/userdocid&gt;   &lt;name&gt;{1,1}&lt;/name&gt;   &lt;description&gt;{0,1}&lt;/description&gt;   &lt;message_number&gt;{0,1}&lt;/message_number&gt; &lt;/document&gt;</pre>
Source	<pre>&lt;xsd:element name="document"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="userdocid" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="name" maxOccurs="1" minOccurs="1"/&gt;       &lt;xsd:element ref="description" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="message_number" maxOccurs="1" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element userdocid

Namespace	No namespace				
Annotations	Document Number				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Elements document, form_header				
Source	<pre>&lt;xsd:element name="userdocid"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Document Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>				

## Element name

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration xml_document
Used by	Element document
Source	<pre>&lt;xsd:element name="name"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="xml_document"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element description

Namespace	No namespace
-----------	--------------

Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	attachment, document
Source	<pre>&lt;xsd:element name="description"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element message\_number

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	14
Used by	Element	document
Source	<pre>&lt;xsd:element name="message_number"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="14"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element attachment

Namespace	No namespace	
Properties	content:	complex
Used by	Element	manifest
Model	ALL(index{0,1} filename{0,1} description{0,1} type{0,1})	
Children	description, filename, index, type	
Instance	<pre>&lt;attachment&gt;   &lt;index&gt;{0,1}&lt;/index&gt;   &lt;filename&gt;{0,1}&lt;/filename&gt;   &lt;description&gt;{0,1}&lt;/description&gt;   &lt;type&gt;{0,1}&lt;/type&gt; &lt;/attachment&gt;</pre>	
Source	<pre>&lt;xsd:element name="attachment"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="index" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="filename" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="description" maxOccurs="1" minOccurs="0"/&gt;       &lt;xsd:element ref="type" maxOccurs="1" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>	

## Element index

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1

	maxLength	35
Used by	Element	attachment
Source	<pre>&lt;xsd:element name="index"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element filename

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	255
Used by	Element	attachment
Source	<pre>&lt;xsd:element name="filename"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="255"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element type

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	attachment
Source	<pre>&lt;xsd:element name="type"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element body

Namespace	No namespace	
Properties	content:	complex
Used by	Element	biztalk_1
Model	xml_document	
Children	xml_document	
Instance	<pre>&lt;body&gt;   &lt;xml_document subversion_number="" type_identifier="" version_number=""&gt;{1,1}&lt;/xml_document&gt; &lt;/body&gt;</pre>	
Source	<pre>&lt;xsd:element name="body"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element ref="xml_document"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt;</pre>	

</xsd:element>

## Element xml\_document

Namespace	No namespace			
Annotations	Despatch Advice			
Properties	content:	complex		
Used by	Element	body		
Model	form_header , line_items{0,1} , summary{0,1}			
Children	form_header, line_items, summary			
Instance	<pre>&lt;xml_document subversion_number="" type_identifier="" version_number=""&gt;   &lt;form_header&gt;{1,1}&lt;/form_header&gt;   &lt;line_items&gt;{0,1}&lt;/line_items&gt;   &lt;summary&gt;{0,1}&lt;/summary&gt; &lt;/xml_document&gt;</pre>			
Attributes	QName	Type	Use	
	subversion_number		optional	
	type_identifier		required	
	version_number		optional	
Source	<pre>&lt;xsd:element name="xml_document"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Despatch Advice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element ref="form_header" /&gt;       &lt;xsd:element ref="line_items" minOccurs="0"/&gt;       &lt;xsd:element ref="summary" minOccurs="0" /&gt;     &lt;/xsd:sequence&gt;     &lt;xsd:attribute name="type_identifier" use="required" /&gt;     &lt;xsd:attribute name="version_number" /&gt;     &lt;xsd:attribute name="subversion_number" /&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>			

## Element form\_header

Namespace	No namespace	
Annotations	Hlavička zprávy	
Properties	content:	complex
Used by	Element	xml_document
Model	ALL(userdocid document_type message_function{0,1} document_date document_time{0,1} document_date_format{0,1} delivery_date{0,1} delivery_time{0,1} delivery_date_format{0,1} collection_date{0,1} collection_time{0,1} collection_date_format{0,1} delivery_date_latest{0,1} delivery_time_latest{0,1} delivery_date_latest_format{0,1} delivery_date_earliest{0,1} delivery_time_earliest{0,1} delivery_date_earliest_format{0,1} departure_date{0,1} departure_time{0,1} departure_date_format{0,1} ultimate_customer_date{0,1} ultimate_customer_date_latest{0,1} country_origin{0,1} transport_mode{0,1} transport{0,1} vehicle_licence{0,1} free_text{0,1} registration{0,1} referencies{0,1} buyer purchaser{0,1} delivery_place{0,1} invoicee{0,1} store{0,1} ultimate_customer{0,1} supplier storehouse{0,1} seller{0,1})	
Children	buyer, collection_date, collection_date_format, collection_time, country_origin, delivery_date, delivery_date_earliest, delivery_date_earliest_format, delivery_date_format, delivery_date_latest, delivery_date_latest_format, delivery_place, delivery_time, delivery_time_earliest, delivery_time_latest, departure_date, departure_date_format, departure_time, document_date, document_date_format, document_time, document_type, free_text, invoicee, message_function, purchaser, referencies, registration, seller, store, storehouse, supplier, transport, transport_mode, ultimate_customer, ultimate_customer_date, ultimate_customer_date_latest, userdocid, vehicle_licence	
Instance	<pre>&lt;form_header&gt;   &lt;userdocid&gt;{1,1}&lt;/userdocid&gt;   &lt;document_type&gt;{1,1}&lt;/document_type&gt;   &lt;message_function&gt;{0,1}&lt;/message_function&gt;   &lt;document_date&gt;{1,1}&lt;/document_date&gt;   &lt;document_time&gt;{0,1}&lt;/document_time&gt;   &lt;document_date_format&gt;{0,1}&lt;/document_date_format&gt;   &lt;delivery_date&gt;{0,1}&lt;/delivery_date&gt;   &lt;delivery_time&gt;{0,1}&lt;/delivery_time&gt;   &lt;delivery_date_format&gt;{0,1}&lt;/delivery_date_format&gt;   &lt;collection_date&gt;{0,1}&lt;/collection_date&gt;   &lt;collection_time&gt;{0,1}&lt;/collection_time&gt;</pre>	

	<pre> &lt;collection_date_format&gt;{0,1}&lt;/collection_date_format&gt; &lt;delivery_date_latest&gt;{0,1}&lt;/delivery_date_latest&gt; &lt;delivery_time_latest&gt;{0,1}&lt;/delivery_time_latest&gt; &lt;delivery_date_latest_format&gt;{0,1}&lt;/delivery_date_latest_format&gt; &lt;delivery_date_earliest&gt;{0,1}&lt;/delivery_date_earliest&gt; &lt;delivery_time_earliest&gt;{0,1}&lt;/delivery_time_earliest&gt; &lt;delivery_date_earliest_format&gt;{0,1}&lt;/delivery_date_earliest_format&gt; &lt;departure_date&gt;{0,1}&lt;/departure_date&gt; &lt;departure_time&gt;{0,1}&lt;/departure_time&gt; &lt;departure_date_format&gt;{0,1}&lt;/departure_date_format&gt; &lt;ultimate_customer_date&gt;{0,1}&lt;/ultimate_customer_date&gt; &lt;ultimate_customer_date_latest&gt;{0,1}&lt;/ultimate_customer_date_latest&gt; &lt;country_origin&gt;{0,1}&lt;/country_origin&gt; &lt;transport_mode&gt;{0,1}&lt;/transport_mode&gt; &lt;transport&gt;{0,1}&lt;/transport&gt; &lt;vehicle_licence&gt;{0,1}&lt;/vehicle_licence&gt; &lt;free_text&gt;{0,1}&lt;/free_text&gt; &lt;registration&gt;{0,1}&lt;/registration&gt; &lt;referencies&gt;{0,1}&lt;/referencies&gt; &lt;buyer&gt;{1,1}&lt;/buyer&gt; &lt;purchaser&gt;{0,1}&lt;/purchaser&gt; &lt;delivery_place&gt;{0,1}&lt;/delivery_place&gt; &lt;invoicee&gt;{0,1}&lt;/invoicee&gt; &lt;store&gt;{0,1}&lt;/store&gt; &lt;ultimate_customer&gt;{0,1}&lt;/ultimate_customer&gt; &lt;supplier&gt;{1,1}&lt;/supplier&gt; &lt;storehouse&gt;{0,1}&lt;/storehouse&gt; &lt;seller&gt;{0,1}&lt;/seller&gt; &lt;/form_header&gt; </pre>
Source	<pre> &lt;xsd:element name="form_header"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Hlavička zprávy&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="userdocid"/&gt;       &lt;xsd:element ref="document_type"/&gt;       &lt;xsd:element ref="message_function" minOccurs="0"/&gt;       &lt;xsd:element ref="document_date"/&gt;       &lt;xsd:element ref="document_time" minOccurs="0"/&gt;       &lt;xsd:element ref="document_date_format" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_date" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_time" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_date_format" minOccurs="0"/&gt;       &lt;xsd:element ref="collection_date" minOccurs="0"/&gt;       &lt;xsd:element ref="collection_time" minOccurs="0"/&gt;       &lt;xsd:element ref="collection_date_format" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_date_latest" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_time_latest" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_date_latest_format" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_date_earliest" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_time_earliest" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_date_earliest_format" minOccurs="0"/&gt;       &lt;xsd:element ref="departure_date" minOccurs="0"/&gt;       &lt;xsd:element ref="departure_time" minOccurs="0"/&gt;       &lt;xsd:element ref="departure_date_format" minOccurs="0"/&gt;       &lt;xsd:element ref="ultimate_customer_date" minOccurs="0"/&gt;       &lt;xsd:element ref="ultimate_customer_date_latest" minOccurs="0"/&gt;       &lt;xsd:element ref="country_origin" minOccurs="0"/&gt;       &lt;xsd:element ref="transport_mode" minOccurs="0"/&gt;       &lt;xsd:element ref="transport" minOccurs="0"/&gt;       &lt;xsd:element ref="vehicle_licence" minOccurs="0"/&gt;       &lt;xsd:element ref="free_text" minOccurs="0"/&gt;       &lt;xsd:element ref="registration" minOccurs="0"/&gt;       &lt;xsd:element ref="referencies" minOccurs="0"/&gt;       &lt;xsd:element ref="buyer"/&gt;       &lt;xsd:element ref="purchaser" minOccurs="0"/&gt;       &lt;xsd:element ref="delivery_place" minOccurs="0"/&gt;       &lt;xsd:element ref="invoicee" minOccurs="0"/&gt;       &lt;xsd:element ref="store" minOccurs="0"/&gt;       &lt;xsd:element ref="ultimate_customer" minOccurs="0"/&gt;       &lt;xsd:element ref="supplier"/&gt;       &lt;xsd:element ref="storehouse" minOccurs="0"/&gt;       &lt;xsd:element ref="seller" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element document\_type

Namespace	No namespace
-----------	--------------

Annotations	Druh dokladu - kód		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	351	Dodací list
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="document_type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Druh dokladu - kód&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="351"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Dodací list&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element message\_function

Namespace	No namespace		
Annotations	Funkce zprávy - kód potvrzení		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	9	Originál
	enumeration	1	Zrušení
	enumeration	5	Náhrada
	enumeration	7	Duplikát
	enumeration	31	Kopie
	enumeration	43	Dodatečný přenos
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="message_function"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Funkce zprávy - kód potvrzení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="9"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Originál&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Zrušení&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="5"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Náhrada&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="7"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Duplikát&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="31"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Kopie&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="43"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Dodatečný přenos&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		



```

    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

## Element document\_date

Namespace	No namespace
Annotations	Datum vystavení
Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre> &lt;xsd:element name="document_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vystavení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element document\_time

Namespace	No namespace
Annotations	Čas vystavení
Type	time
Properties	content: simple
Facets	pattern <code>(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?</code>
Used by	Element form_header
Source	<pre> &lt;xsd:element name="document_time" type="time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas vystavení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element document\_date\_format

Namespace	No namespace		
Annotations	Datum vystavení - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
	enumeration	204	YYYY-MM-DD, HH:MM:SS
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="document_date_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vystavení - kvalifikátor formátu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="204"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM:SS&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

```

        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>

```

## Element delivery\_date

Namespace	No namespace
Annotations	Datum očekávané dodávky
Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre> &lt;xsd:element name="delivery_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum očekávané dodávky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element delivery\_time

Namespace	No namespace
Annotations	Čas očekávané dodávky
Type	short_time
Properties	content: simple
Facets	pattern (([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Element form_header
Source	<pre> &lt;xsd:element name="delivery_time" type="short_time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas očekávané dodávky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element delivery\_date\_format

Namespace	No namespace		
Annotations	Datum očekávané dodávky - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="delivery_date_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum očekávané dodávky - kvalifikátor formátu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element collection\_date

Namespace	No namespace
Annotations	Datum vyzvednutí dodávky u dodavatele
Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre>&lt;xsd:element name="collection_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vyzvednutí dodávky u dodavatele&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element collection\_time

Namespace	No namespace
Annotations	Čas vyzvednutí dodávky u dodavatele
Type	short_time
Properties	content: simple
Facets	pattern $(( [0-1][0-9] )   ( 2[0-3] )) : [0-5][0-9]$
Used by	Element form_header
Source	<pre>&lt;xsd:element name="collection_time" type="short_time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas vyzvednutí dodávky u dodavatele&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element collection\_date\_format

Namespace	No namespace		
Annotations	Datum vyzvednutí dodávky u dodavatele - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="collection_date_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vyzvednutí dodávky u dodavatele - kvalifikátor formátu&lt;/ xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element delivery\_date\_latest

Namespace	No namespace
Annotations	Datum očekávané dodávky nejpozdější

Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre>&lt;xsd:element name="delivery_date_latest" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum očekávané dodávky nejpozdější&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### Element delivery\_time\_latest

Namespace	No namespace
Annotations	Čas očekávané dodávky nejpozdější
Type	short_time
Properties	content: simple
Facets	pattern $(( [0-1][0-9] )   ( 2[0-3] )) : [0-5][0-9]$
Used by	Element form_header
Source	<pre>&lt;xsd:element name="delivery_time_latest" type="short_time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas očekávané dodávky nejpozdější&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### Element delivery\_date\_latest\_format

Namespace	No namespace		
Annotations	Datum očekávané dodávky nejpozdější - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="delivery_date_latest_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum očekávané dodávky nejpozdější - kvalifikátor formátu&lt;/ xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

### Element delivery\_date\_earliest

Namespace	No namespace
Annotations	Datum očekávané dodávky nejdřívější
Type	xsd:date
Properties	content: simple
Used by	Element form_header

Source	<pre>&lt;xsd:element name="delivery_date_earliest" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum očekávané dodávky nejdřívější&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	---

## Element delivery\_time\_earliest

Namespace	No namespace
Annotations	Čas očekávané dodávky nejdřívější
Type	short_time
Properties	content: simple
Facets	pattern <code>(([0-1][0-9]) (2[0-3])):[0-5][0-9]</code>
Used by	Element form_header
Source	<pre>&lt;xsd:element name="delivery_time_earliest" type="short_time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas očekávané dodávky nejdřívější&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element delivery\_date\_earliest\_format

Namespace	No namespace		
Annotations	Datum očekávané dodávky nejdřívější - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="delivery_date_earliest_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum očekávané dodávky nejdřívější - kvalifikátor formátu&lt;/ xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element departure\_date

Namespace	No namespace
Annotations	Datum odjezdu dodávky
Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre>&lt;xsd:element name="departure_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum odjezdu dodávky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element departure\_time

Namespace	No namespace	
Annotations	Čas odjezdu dodávky	
Type	short_time	
Properties	content:	simple
Facets	pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Element	form_header
Source	<pre>&lt;xsd:element name="departure_time" type="short_time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas odjezdu dodávky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>	

## Element departure\_date\_format

Namespace	No namespace	
Annotations	Datum odjezdu dodávky - kvalifikátor formátu	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	enumeration	102 YYYY-MM-DD
	enumeration	203 YYYY-MM-DD, HH:MM
Used by	Element	form_header
Source	<pre>&lt;xsd:element name="departure_date_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum odjezdu dodávky - kvalifikátor formátu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element ultimate\_customer\_date

Namespace	No namespace	
Annotations	Datum dodání na koncové místo dodání YYYY-MM-DD (např. u Cross Dock)	
Type	xsd:date	
Properties	content:	simple
Used by	Element	form_header
Source	<pre>&lt;xsd:element name="ultimate_customer_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum dodání na koncové místo dodání YYYY-MM-DD (např. u Cross Dock)&lt;/   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>	

## Element ultimate\_customer\_date\_latest

Namespace	No namespace	
-----------	--------------	--

Annotations	Datum dodání na koncové místo do data YYYY-MM-DD (např.u Cross Dock)
Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre>&lt;xsd:element name="ultimate_customer_date_latest" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum dodání na koncové místo do data YYYY-MM-DD (např.u Cross Dock)&lt;/ xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element country\_origin

Namespace	No namespace				
Annotations	Země původu				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>3</td></tr> </table>	minLength	1	maxLength	3
minLength	1				
maxLength	3				
Used by	Elements article, form_header				
Source	<pre>&lt;xsd:element name="country_origin"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Země původu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="3"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>				

## Element transport\_mode

Namespace	No namespace		
Annotations	Druh dopravy - kód		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	10	Námořní doprava
	enumeration	20	Železniční doprava
	enumeration	30	Silniční doprava
	enumeration	40	Letecká doprava
	enumeration	60	Kombinovaná doprava
Used by	Element	form_header	
Source	<pre>&lt;xsd:element name="transport_mode"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Druh dopravy - kód&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="10"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Námořní doprava&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="20"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Železniční doprava&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="30"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Silniční doprava&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

```

        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="40">
        <xsd:annotation>
          <xsd:documentation>Letecká doprava</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="60">
        <xsd:annotation>
          <xsd:documentation>Kombinovaná doprava</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>

```

## Element transport

Namespace	No namespace	
Annotations	Druh dopravy - text	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	17
Used by	Element	form_header
Source	<pre> &lt;xsd:element name="transport"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Druh dopravy - text&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="17"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>	

## Element vehicle\_licence

Namespace	No namespace	
Annotations	Identifikace vozidla	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	form_header
Source	<pre> &lt;xsd:element name="vehicle_licence"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Identifikace vozidla&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>	

## Element free\_text

Namespace	No namespace	
Annotations	Volný text - dodací podmínky	
Type	restriction of xsd:string	
Properties	content:	simple



Facets	minLength	1
	maxLength	70
Used by	Element	form_header
Source	<pre>&lt;xsd:element name="free_text"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Volný text - dodací podmínky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element registration

Namespace	No namespace	
Annotations	Spisová značka dodavatele - zápis v OR	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	140
Used by	Element	form_header
Source	<pre>&lt;xsd:element name="registration"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Spisová značka dodavatele - zápis v OR&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="140"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element references

Namespace	No namespace	
Properties	content:	complex
Used by	Element	form_header
Model	ALL(contract_number{0,1} order_number{0,1} date_of_order{0,1} time_of_order{0,1} date_of_order_format{0,1} supplier_order_number{0,1} date_of_supplier_order{0,1} time_of_supplier_order{0,1} date_of_supplier_order_format{0,1} meaning_of_reference_number{0,1} reference_number{0,1} date_of_reference_number{0,1} time_of_reference_number{0,1} date_of_reference_number_format{0,1} promotion_number{0,1} despatch_advice{0,1} date_of_despatch_advice{0,1} time_of_despatch_advice{0,1} date_of_despatch_advice_format{0,1})	
Children	contract_number, date_of_despatch_advice, date_of_despatch_advice_format, date_of_order, date_of_order_format, date_of_reference_number, date_of_reference_number_format, date_of_supplier_order, date_of_supplier_order_format, despatch_advice, meaning_of_reference_number, order_number, promotion_number, reference_number, supplier_order_number, time_of_despatch_advice, time_of_order, time_of_reference_number, time_of_supplier_order	
Instance	<pre>&lt;references&gt;   &lt;contract_number&gt;{0,1}&lt;/contract_number&gt;   &lt;order_number&gt;{0,1}&lt;/order_number&gt;   &lt;date_of_order&gt;{0,1}&lt;/date_of_order&gt;   &lt;time_of_order&gt;{0,1}&lt;/time_of_order&gt;   &lt;date_of_order_format&gt;{0,1}&lt;/date_of_order_format&gt;   &lt;supplier_order_number&gt;{0,1}&lt;/supplier_order_number&gt;   &lt;date_of_supplier_order&gt;{0,1}&lt;/date_of_supplier_order&gt;   &lt;time_of_supplier_order&gt;{0,1}&lt;/time_of_supplier_order&gt;   &lt;date_of_supplier_order_format&gt;{0,1}&lt;/date_of_supplier_order_format&gt;   &lt;meaning_of_reference_number&gt;{0,1}&lt;/meaning_of_reference_number&gt;   &lt;reference_number&gt;{0,1}&lt;/reference_number&gt;   &lt;date_of_reference_number&gt;{0,1}&lt;/date_of_reference_number&gt;   &lt;time_of_reference_number&gt;{0,1}&lt;/time_of_reference_number&gt;   &lt;date_of_reference_number_format&gt;{0,1}&lt;/date_of_reference_number_format&gt;   &lt;promotion_number&gt;{0,1}&lt;/promotion_number&gt;</pre>	

	<pre> &lt;despatch_advice&gt;{0,1}&lt;/despatch_advice&gt; &lt;date_of_despatch_advice&gt;{0,1}&lt;/date_of_despatch_advice&gt; &lt;time_of_despatch_advice&gt;{0,1}&lt;/time_of_despatch_advice&gt; &lt;date_of_despatch_advice_format&gt;{0,1}&lt;/date_of_despatch_advice_format&gt; &lt;/referencies&gt; </pre>
Source	<pre> &lt;xsd:element name="referencies"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="contract_number" minOccurs="0"/&gt;       &lt;xsd:element ref="order_number" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_order" minOccurs="0"/&gt;       &lt;xsd:element ref="time_of_order" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_order_format" minOccurs="0"/&gt;       &lt;xsd:element ref="supplier_order_number" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_supplier_order" minOccurs="0"/&gt;       &lt;xsd:element ref="time_of_supplier_order" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_supplier_order_format" minOccurs="0"/&gt;       &lt;xsd:element ref="meaning_of_reference_number" minOccurs="0"/&gt;       &lt;xsd:element ref="reference_number" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_reference_number" minOccurs="0"/&gt;       &lt;xsd:element ref="time_of_reference_number" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_reference_number_format" minOccurs="0"/&gt;       &lt;xsd:element ref="promotion_number" minOccurs="0"/&gt;       &lt;xsd:element ref="despatch_advice" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_despatch_advice" minOccurs="0"/&gt;       &lt;xsd:element ref="time_of_despatch_advice" minOccurs="0"/&gt;       &lt;xsd:element ref="date_of_despatch_advice_format" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element contract\_number

Namespace	No namespace				
Annotations	Číslo smlouvy				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Element referencies				
Source	<pre> &lt;xsd:element name="contract_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo smlouvy&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

## Element order\_number

Namespace	No namespace				
Annotations	Číslo objednávky zákazníka				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Elements article, referencies				
Source	<pre> &lt;xsd:element name="order_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo objednávky zákazníka&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

```
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element date\_of\_order

Namespace	No namespace
Annotations	Datum vystavení objednávky
Type	xsd:date
Properties	content: simple
Used by	Elements article, referencies
Source	<pre>&lt;xsd:element name="date_of_order" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vystavení objednávky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element time\_of\_order

Namespace	No namespace
Annotations	Čas vystavení objednávky
Type	time
Properties	content: simple
Facets	pattern <code>(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?</code>
Used by	Elements article, referencies
Source	<pre>&lt;xsd:element name="time_of_order" type="time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas vystavení objednávky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element date\_of\_order\_format

Namespace	No namespace		
Annotations	Datum vystavení objednávky - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
	enumeration	204	YYYY-MM-DD, HH:MM:SS
Used by	Elements	article, referencies	
Source	<pre>&lt;xsd:element name="date_of_order_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vystavení objednávky - kvalifikátor formátu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="204"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM:SS&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

```

</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

## Element supplier\_order\_number

Namespace	No namespace				
Annotations	Číslo objednávky u dodavatele				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Elements article, referencies				
Source	<pre> &lt;xsd:element name="supplier_order_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo objednávky u dodavatele&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

## Element date\_of\_supplier\_order

Namespace	No namespace
Annotations	Datum přijetí objednávky u dodavatele
Type	xsd:date
Properties	content: simple
Used by	Elements article, referencies
Source	<pre> &lt;xsd:element name="date_of_supplier_order" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum přijetí objednávky u dodavatele&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element time\_of\_supplier\_order

Namespace	No namespace		
Annotations	Čas přijetí objednávky u dodavatele		
Type	time		
Properties	content: simple		
Facets	<table> <tr> <td>pattern</td><td>(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?</td></tr> </table>	pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?
pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?		
Used by	Elements article, referencies		
Source	<pre> &lt;xsd:element name="time_of_supplier_order" type="time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas přijetí objednávky u dodavatele&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>		

## Element date\_of\_supplier\_order\_format

Namespace	No namespace
Annotations	Datum přijetí objednávky u dodavatele - kvalifikátor formátu
Type	restriction of xsd:string

Properties	content:	simple
Facets	enumeration	102 YYYY-MM-DD
	enumeration	203 YYYY-MM-DD, HH:MM
	enumeration	204 YYYY-MM-DD, HH:MM
Used by	Elements	article, referencies
Source	<pre> &lt;xsd:element name="date_of_supplier_order_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum přijetí objednávky u dodavatele - kvalifikátor formátu&lt;/ xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="204"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>	

## Element meaning\_of\_reference\_number

Namespace	No namespace		
Annotations	Význam referenčního čísla faktury		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	AAB	Proforma Invoice Number
	enumeration	IV	Invoice Number
Used by	Elements	article, referencies	
Source	<pre>&lt;xsd:element name="meaning_of_reference_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Význam referenčního čísla faktury&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="AAB"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Proforma Invoice Number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="IV"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Invoice Number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element reference\_number

Namespace	No namespace
Annotations	Referenční číslo faktury
Type	restriction of xsd:string
Properties	content: simple

Facets	minLength	1
	maxLength	15
Used by	Elements	article, referencies
Source	<pre>&lt;xsd:element name="reference_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Referenční číslo faktury&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

### Element date\_of\_reference\_number

Namespace	No namespace	
Annotations	Datum vztahující se k referenčnímu číslu faktury	
Type	xsd:date	
Properties	content:	simple
Used by	Elements	article, referencies
Source	<pre>&lt;xsd:element name="date_of_reference_number" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vztahující se k referenčnímu číslu faktury&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>	

### Element time\_of\_reference\_number

Namespace	No namespace	
Annotations	Čas vztahující se k referenčnímu číslu faktury	
Type	short_time	
Properties	content:	simple
Facets	pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Elements	article, referencies
Source	<pre>&lt;xsd:element name="time_of_reference_number" type="short_time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas vztahující se k referenčnímu číslu faktury&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>	

### Element date\_of\_reference\_number\_format

Namespace	No namespace	
Annotations	Datum vztahující se k ref. číslu faktury - kvalifikátor formátu	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	enumeration	102 YYYY-MM-DD
	enumeration	203 YYYY-MM-DD, HH:MM
	enumeration	204 YYYY-MM-DD, HH:MM:SS
Used by	Elements	article, referencies
Source	<pre>&lt;xsd:element name="date_of_reference_number_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vztahující se k ref. číslu faktury - kvalifikátor formátu&lt;/   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;</pre>	

```
<xsd:restriction base="xsd:string">
  <xsd:enumeration value="102">
    <xsd:annotation>
      <xsd:documentation>YYYY-MM-DD</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="203">
    <xsd:annotation>
      <xsd:documentation>YYYY-MM-DD, HH:MM</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="204">
    <xsd:annotation>
      <xsd:documentation>YYYY-MM-DD, HH:MM:SS</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element promotion\_number

Namespace	No namespace
Annotations	Označení promo akce
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 25
Used by	Elements article, referencies
Source	<pre>&lt;xsd:element name="promotion_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Označení promo akce&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="25"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element despatch\_advice

Namespace	No namespace
Annotations	Avízo o dodání (DESADV)
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 15
Used by	Element referencies
Source	<pre>&lt;xsd:element name="despatch_advice"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Avízo o dodání (DESADV)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element date\_of\_despatch\_advice

Namespace	No namespace
Annotations	Datum vystavení avíza o dodání (DESADV)

Type	xsd:date
Properties	content: simple
Used by	Element referencies
Source	<pre>&lt;xsd:element name="date_of_despatch_advice" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vystavení avíza o dodání (DESADV)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element time\_of\_despatch\_advice

Namespace	No namespace
Annotations	Čas vystavení avíza o dodání (DESADV)
Type	time
Properties	content: simple
Facets	pattern $(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?$
Used by	Element referencies
Source	<pre>&lt;xsd:element name="time_of_despatch_advice" type="time"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čas vystavení avíza o dodání (DESADV)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element date\_of\_despatch\_advice\_format

Namespace	No namespace		
Annotations	Datum vystavení avíza o dodání - kvalifikátor formátu		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
	enumeration	204	YYYY-MM-DD, HH:MM
Used by	Element	referencies	
Source	<pre>&lt;xsd:element name="date_of_despatch_advice_format"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Datum vystavení avíza o dodání - kvalifikátor formátu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="102"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="204"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;YYYY-MM-DD, HH:MM&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element buyer

Namespace	No namespace
Properties	content: complex



Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} company_id{0,1} tax_id{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	company_id, contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id
Instance	<pre> &lt;buyer&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;company_id&gt;{0,1}&lt;/company_id&gt;   &lt;tax_id&gt;{0,1}&lt;/tax_id&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt;   &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt;   &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/buyer&gt; </pre>
Source	<pre> &lt;xsd:element name="buyer"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="company_id" minOccurs="0"/&gt;       &lt;xsd:element ref="tax_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element party\_qualifier

Namespace	No namespace
Annotations	Kvalifikátor partnera
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration BY Kupující
	enumeration OB Objednatel
	enumeration SN Konenčné místo dodání (sklad/obchod je-li různý od DP)
	enumeration UC Koncový spotřebitel
	enumeration DP Místo dodání

	enumeration	IV	Fakturační místo
	enumeration	SU	Dodavatel
	enumeration	SE	Prodávající
	enumeration	SF	Distribuční sklad
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer	
Source	<pre>&lt;xsd:element name="party_qualifier"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Kvalifikátor partnera&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="BY"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Kupující&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="OB"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Objednatel&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="SN"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Konenčné místo dodání (sklad/obchod je-li různý od DP)&lt;/ xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="UC"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Koncový spotřebitel&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="DP"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Místo dodání&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="IV"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Fakturační místo&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="SU"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Dodavatel&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="SE"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Prodávající&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="SF"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Distribuční sklad&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

## Element party\_ean

Namespace	No namespace	
Annotations	GLN partnera (GLN kód 13 míst)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	17
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre> &lt;xsd:element name="party_ean"&gt; </pre>	

```
<xsd:annotation>
  <xsd:documentation>GLN partnera (GLN kód 13 míst)</xsd:documentation>
</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="17"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element party\_name\_1

Namespace	No namespace	
Annotations	Obchodní jméno - 1	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="party_name_1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Obchodní jméno - 1&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element party\_name\_2

Namespace	No namespace	
Annotations	Obchodní jméno - 2	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="party_name_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Obchodní jméno - 2&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element party\_name\_3

Namespace	No namespace	
Annotations	Obchodní jméno - 3	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer

Source	<pre> &lt;xsd:element name="party_name_3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Obchodní jméno - 3&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>
--------	---

## Element party\_name\_4

Namespace	No namespace
Annotations	Obchodní jméno - 4
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre> &lt;xsd:element name="party_name_4"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Obchodní jméno - 4&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element party\_name\_5

Namespace	No namespace
Annotations	Obchodní jméno - 5
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre> &lt;xsd:element name="party_name_5"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Obchodní jméno - 5&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element street\_1

Namespace	No namespace
Annotations	Adresa - ulice a číslo - 1
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35

Used by	Elements buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre> &lt;xsd:element name="street_1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - ulice a číslo - 1&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element street\_2

Namespace	No namespace
Annotations	Adresa - ulice a číslo - 2
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre> &lt;xsd:element name="street_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - ulice a číslo - 2&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element street\_3

Namespace	No namespace
Annotations	Adresa - ulice a číslo - 3
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre> &lt;xsd:element name="street_3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - ulice a číslo - 3&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element street\_4

Namespace	No namespace
Annotations	Adresa - ulice a číslo - 4
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1

	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="street_4"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - ulice a číslo - 4&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element place

Namespace	No namespace	
Annotations	Adresa - místo	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="place"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - místo&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element postcode

Namespace	No namespace	
Annotations	Adresa - PSČ	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	17
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="postcode"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - PSČ&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="17"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element country\_code

Namespace	No namespace	
Annotations	Adresa - kód země	
Type	restriction of xsd:string	
Properties	content:	simple

Facets	minLength	1
	maxLength	3
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="country_code"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - kód země&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="3"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element country\_name

Namespace	No namespace	
Annotations	Adresa - země slovy	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="country_name"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Adresa - země slovy&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element company\_id

Namespace	No namespace	
Annotations	Identifikační číslo (IČO)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, invoicee, supplier
Source	<pre>&lt;xsd:element name="company_id"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Identifikační číslo (IČO)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element tax\_id

Namespace	No namespace	
Annotations	Daňové identifikační číslo (DIČ)	
Type	restriction of xsd:string	

Properties	content:	simple
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, invoicee, supplier
Source	<pre>&lt;xsd:element name="tax_id"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Daňové identifikační číslo (DIČ)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="15"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element contact\_id

Namespace	No namespace	
Annotations	Identifikace kontaktní osoby (oddělení)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	17
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="contact_id"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Identifikace kontaktní osoby (oddělení)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="17"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element contact

Namespace	No namespace	
Annotations	Kontaktní osoba (oddělení)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="contact"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Kontaktní osoba (oddělení)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element contact\_tel

Namespace	No namespace	
Annotations	Kontaktní osoba (oddělení) - telefon	



Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="contact_tel"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Kontaktní osoba (oddělení) - telefon&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element contact\_fax

Namespace	No namespace	
Annotations	Kontaktní osoba (oddělení) - fax	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="contact_fax"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Kontaktní osoba (oddělení) - fax&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element contact\_email

Namespace	No namespace	
Annotations	Kontaktní osoba (oddělení) - email	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	70
Used by	Elements	buyer, delivery_place, invoicee, purchaser, seller, store, storehouse, supplier, ultimate_customer
Source	<pre>&lt;xsd:element name="contact_email"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Kontaktní osoba (oddělení) - email&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element purchaser

Namespace	No namespace
-----------	--------------

Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<pre> &lt;purchaser&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt;   &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt;   &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/purchaser&gt; </pre>
Source	<pre> &lt;xsd:element name="purchaser"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element delivery\_place

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<pre> &lt;delivery_place&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt; </pre>

	<pre> &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt; &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt; &lt;street_1&gt;{0,1}&lt;/street_1&gt; &lt;street_2&gt;{0,1}&lt;/street_2&gt; &lt;street_3&gt;{0,1}&lt;/street_3&gt; &lt;street_4&gt;{0,1}&lt;/street_4&gt; &lt;place&gt;{0,1}&lt;/place&gt; &lt;postcode&gt;{0,1}&lt;/postcode&gt; &lt;country_code&gt;{0,1}&lt;/country_code&gt; &lt;country_name&gt;{0,1}&lt;/country_name&gt; &lt;contact_id&gt;{0,1}&lt;/contact_id&gt; &lt;contact&gt;{0,1}&lt;/contact&gt; &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt; &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt; &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/delivery_place&gt; </pre>
Source	<pre> &lt;xsd:element name="delivery_place"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element invoicee

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} company_id{0,1} tax_id{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	company_id, contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id
Instance	<pre> &lt;invoicee&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;company_id&gt;{0,1}&lt;/company_id&gt;   &lt;tax_id&gt;{0,1}&lt;/tax_id&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt;   &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt;   &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; </pre>

	</invoicee>
Source	<pre> &lt;xsd:element name="invoicee"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="company_id" minOccurs="0"/&gt;       &lt;xsd:element ref="tax_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element store

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} contact_id{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<pre> &lt;store&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt;   &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt;   &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/store&gt; </pre>
Source	<pre> &lt;xsd:element name="store"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt; </pre>

	<pre> &lt;xsd:element ref="place" minOccurs="0"/&gt; &lt;xsd:element ref="postcode" minOccurs="0"/&gt; &lt;xsd:element ref="country_code" minOccurs="0"/&gt; &lt;xsd:element ref="country_name" minOccurs="0"/&gt; &lt;xsd:element ref="contact_id" minOccurs="0"/&gt; &lt;xsd:element ref="contact" minOccurs="0"/&gt; &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt; &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt; &lt;xsd:element ref="contact_email" minOccurs="0"/&gt; &lt;/xsd:all&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	--

## Element ultimate\_customer

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<pre> &lt;ultimate_customer&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt;   &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt;   &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/ultimate_customer&gt; </pre>
Source	<pre> &lt;xsd:element name="ultimate_customer"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element supplier

Namespace	No namespace
-----------	--------------

Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} company_id{0,1} tax_id{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	company_id, contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id
Instance	<pre> &lt;supplier&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;company_id&gt;{0,1}&lt;/company_id&gt;   &lt;tax_id&gt;{0,1}&lt;/tax_id&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt;   &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt;   &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/supplier&gt; </pre>
Source	<pre> &lt;xsd:element name="supplier"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="company_id" minOccurs="0"/&gt;       &lt;xsd:element ref="tax_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element storehouse

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<storehouse>

	<pre> &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt; &lt;party_ean&gt;{1,1}&lt;/party_ean&gt; &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt; &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt; &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt; &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt; &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt; &lt;street_1&gt;{0,1}&lt;/street_1&gt; &lt;street_2&gt;{0,1}&lt;/street_2&gt; &lt;street_3&gt;{0,1}&lt;/street_3&gt; &lt;street_4&gt;{0,1}&lt;/street_4&gt; &lt;place&gt;{0,1}&lt;/place&gt; &lt;postcode&gt;{0,1}&lt;/postcode&gt; &lt;country_code&gt;{0,1}&lt;/country_code&gt; &lt;country_name&gt;{0,1}&lt;/country_name&gt; &lt;contact_id&gt;{0,1}&lt;/contact_id&gt; &lt;contact&gt;{0,1}&lt;/contact&gt; &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt; &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt; &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/storehouse&gt; </pre>
Source	<pre> &lt;xsd:element name="storehouse"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element seller

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} country_name{0,1} contact_id{0,1} contact{0,1} contact_tel{0,1} contact_fax{0,1} contact_email{0,1})
Children	contact, contact_email, contact_fax, contact_id, contact_tel, country_code, country_name, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<pre> &lt;seller&gt;   &lt;party_qualifier&gt;{1,1}&lt;/party_qualifier&gt;   &lt;party_ean&gt;{1,1}&lt;/party_ean&gt;   &lt;party_name_1&gt;{0,1}&lt;/party_name_1&gt;   &lt;party_name_2&gt;{0,1}&lt;/party_name_2&gt;   &lt;party_name_3&gt;{0,1}&lt;/party_name_3&gt;   &lt;party_name_4&gt;{0,1}&lt;/party_name_4&gt;   &lt;party_name_5&gt;{0,1}&lt;/party_name_5&gt;   &lt;street_1&gt;{0,1}&lt;/street_1&gt;   &lt;street_2&gt;{0,1}&lt;/street_2&gt;   &lt;street_3&gt;{0,1}&lt;/street_3&gt;   &lt;street_4&gt;{0,1}&lt;/street_4&gt;   &lt;place&gt;{0,1}&lt;/place&gt;   &lt;postcode&gt;{0,1}&lt;/postcode&gt;   &lt;country_code&gt;{0,1}&lt;/country_code&gt;   &lt;country_name&gt;{0,1}&lt;/country_name&gt;   &lt;contact_id&gt;{0,1}&lt;/contact_id&gt;   &lt;contact&gt;{0,1}&lt;/contact&gt;   &lt;contact_tel&gt;{0,1}&lt;/contact_tel&gt; </pre>

	<pre> &lt;contact_fax&gt;{0,1}&lt;/contact_fax&gt; &lt;contact_email&gt;{0,1}&lt;/contact_email&gt; &lt;/seller&gt; </pre>
Source	<pre> &lt;xsd:element name="seller"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="party_qualifier"/&gt;       &lt;xsd:element ref="party_ean"/&gt;       &lt;xsd:element ref="party_name_1" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_2" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_3" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_4" minOccurs="0"/&gt;       &lt;xsd:element ref="party_name_5" minOccurs="0"/&gt;       &lt;xsd:element ref="street_1" minOccurs="0"/&gt;       &lt;xsd:element ref="street_2" minOccurs="0"/&gt;       &lt;xsd:element ref="street_3" minOccurs="0"/&gt;       &lt;xsd:element ref="street_4" minOccurs="0"/&gt;       &lt;xsd:element ref="place" minOccurs="0"/&gt;       &lt;xsd:element ref="postcode" minOccurs="0"/&gt;       &lt;xsd:element ref="country_code" minOccurs="0"/&gt;       &lt;xsd:element ref="country_name" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_id" minOccurs="0"/&gt;       &lt;xsd:element ref="contact" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_tel" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_fax" minOccurs="0"/&gt;       &lt;xsd:element ref="contact_email" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element line\_items

Namespace	No namespace
Properties	content: complex
Used by	Element xml_document
Model	item*
Children	item
Instance	<pre> &lt;line_items&gt;   &lt;item&gt;{0,unbounded}&lt;/item&gt; &lt;/line_items&gt; </pre>
Source	<pre> &lt;xsd:element name="line_items"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element maxOccurs="unbounded" ref="item" minOccurs="0"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element item

Namespace	No namespace
Properties	content: complex
Used by	Element line_items
Model	ALL(package_number package_reference package_type{0,1} total_gross_weight{0,1} total_net_weight{0,1} total_weight{0,1} total_weight_unit{0,1} height_dim{0,1} height_unit{0,1} stacking_package{0,1} ssc_code{0,1} next_lower_package_quantity{0,1} next_lower_package_type{0,1} articles{0,1})
Children	articles, height_dim, height_unit, next_lower_package_quantity, next_lower_package_type, package_number, package_reference, package_type, ssc_code, stacking_package, total_gross_weight, total_net_weight, total_weight, total_weight_unit
Instance	<pre> &lt;item&gt;   &lt;package_number&gt;{1,1}&lt;/package_number&gt;   &lt;package_reference&gt;{1,1}&lt;/package_reference&gt;   &lt;package_type&gt;{0,1}&lt;/package_type&gt;   &lt;total_gross_weight&gt;{0,1}&lt;/total_gross_weight&gt;   &lt;total_net_weight&gt;{0,1}&lt;/total_net_weight&gt;   &lt;total_weight&gt;{0,1}&lt;/total_weight&gt;   &lt;total_weight_unit&gt;{0,1}&lt;/total_weight_unit&gt;   &lt;height_dim&gt;{0,1}&lt;/height_dim&gt;   &lt;height_unit&gt;{0,1}&lt;/height_unit&gt;   &lt;stacking_package&gt;{0,1}&lt;/stacking_package&gt;   &lt;sscc_code&gt;{0,1}&lt;/sscc_code&gt;   &lt;next_lower_package_quantity&gt;{0,1}&lt;/next_lower_package_quantity&gt; </pre>



	<pre> &lt;next_lower_package_type&gt;{0,1}&lt;/next_lower_package_type&gt; &lt;articles&gt;{0,1}&lt;/articles&gt; &lt;/item&gt; </pre>
Source	<pre> &lt;xsd:element name="item"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="package_number"/&gt;       &lt;xsd:element ref="package_reference"/&gt;       &lt;xsd:element ref="package_type" minOccurs="0"/&gt;       &lt;xsd:element ref="total_gross_weight" minOccurs="0"/&gt;       &lt;xsd:element ref="total_net_weight" minOccurs="0"/&gt;       &lt;xsd:element ref="total_weight" minOccurs="0"/&gt;       &lt;xsd:element ref="total_weight_unit" minOccurs="0"/&gt;       &lt;xsd:element ref="height_dim" minOccurs="0"/&gt;       &lt;xsd:element ref="height_unit" minOccurs="0"/&gt;       &lt;xsd:element ref="stacking_package" minOccurs="0"/&gt;       &lt;xsd:element ref="sscc_code" minOccurs="0"/&gt;       &lt;xsd:element ref="next_lower_package_quantity" minOccurs="0"/&gt;       &lt;xsd:element ref="next_lower_package_type" minOccurs="0"/&gt;       &lt;xsd:element ref="articles" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

## Element package\_number

Namespace	No namespace				
Annotations	Pořadové číslo popisovaného balení v dodávce (sekvenční pořadové číslo - pro nejvyšší úroveň (dodávka jako celek) vždy rovné 1)				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>12</td></tr> </table>	minLength	1	maxLength	12
minLength	1				
maxLength	12				
Used by	Element item				
Source	<pre> &lt;xsd:element name="package_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Pořadové číslo popisovaného balení v dodávce (sekvenční pořadové číslo - pro nejvyšší úroveň (dodávka jako celek) vždy rovné 1)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="12"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

## Element package\_reference

Namespace	No namespace				
Annotations	Odkaz na nejbližší vyšší hierarchickou úroveň balení, na "rodiče" (1 jde-li o odkaz na dodávku jako celek, 1E jde-li o dodávku jako celek která už výš neodkazuje)				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>3</td></tr> </table>	minLength	1	maxLength	3
minLength	1				
maxLength	3				
Used by	Element item				
Source	<pre> &lt;xsd:element name="package_reference"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Odkaz na nejbližší vyšší hierarchickou úroveň balení, na "rodiče" (1 jde-li o odkaz na dodávku jako celek, 1E jde-li o dodávku jako celek která už výš neodkazuje)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="3"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

```
</xsd:simpleType>
</xsd:element>
```

## Element package\_type

Namespace	No namespace		
Annotations	Typ balení		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	200	Pallet ISO 0 - 1/2 EURO Pallet (GS1 Code) 80 x 60 cm
	enumeration	201	Pallet ISO 1 - 1/1 EURO Pallet (GS1 Code) 80 x 120 cm
	enumeration	202	Pallet ISO 2 - 1/2 EURO Pallet (GS1 Code) 100 x 120 cm
	enumeration	203	1/4 EURO Pallet (GS1 Code) 60 x 40 cm
	enumeration	204	1/8 EURO Pallet (GS1 Code) 40 x 30 cm
	enumeration	211	Pallet 80 x 100 (GS1 Code)
	enumeration	212	Pallet 60 x 100 (GS1 Code)
	enumeration	CT	Karton/Kontejner
	enumeration	PK	Zabalená položka/v krabici
	enumeration	SL	Přepravní jednotka/vrstva
Used by	Element	item	
Source	<pre>&lt;xsd:element name="package_type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Typ balení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="200"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Pallet ISO 0 - 1/2 EURO Pallet (GS1 Code) 80 x 60 cm&lt;/ xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="201"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Pallet ISO 1 - 1/1 EURO Pallet (GS1 Code) 80 x 120 cm&lt;/ xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="202"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Pallet ISO 2 - 1/2 EURO Pallet (GS1 Code) 100 x 120 cm&lt;/ xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="203"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;1/4 EURO Pallet (GS1 Code) 60 x 40 cm&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="204"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;1/8 EURO Pallet (GS1 Code) 40 x 30 cm&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="211"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Pallet 80 x 100 (GS1 Code)&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="212"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Pallet 60 x 100 (GS1 Code)&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="CT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Karton/Kontejner&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

```

</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>Zabalená položka/v krabici</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Přepavní jednotka/vrstva</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

## Element total\_gross\_weight

Namespace	No namespace
Annotations	Celková hmotnost dodávky (brutto)
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 12
Used by	Element item
Source	<pre> &lt;xsd:element name="total_gross_weight"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Celková hmotnost dodávky (brutto)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:totalDigits value="12"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element total\_net\_weight

Namespace	No namespace
Annotations	Celková hmotnost dodávky (netto)
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 12
Used by	Element item
Source	<pre> &lt;xsd:element name="total_net_weight"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Celková hmotnost dodávky (netto)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:totalDigits value="12"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element total\_weight

Namespace	No namespace
Annotations	Celková hmotnost balení (brutto)
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 12
Used by	Element item
Source	<pre> &lt;xsd:element name="total_weight"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Celková hmotnost balení (brutto)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; </pre>

```
</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="12"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element total\_weight\_unit

Namespace	No namespace
Annotations	Celková hmotnost balení - měrná jednotka
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 3
Used by	Element item
Source	<pre>&lt;xsd:element name="total_weight_unit"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Celková hmotnost balení - měrná jednotka&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="3"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element height\_dim

Namespace	No namespace
Annotations	Výška balení
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 8
Used by	Element item
Source	<pre>&lt;xsd:element name="height_dim"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Výška balení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:totalDigits value="8"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element height\_unit

Namespace	No namespace
Annotations	Výška balení - měrná jednotka
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 3
Used by	Element item
Source	<pre>&lt;xsd:element name="height_unit"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Výška balení - měrná jednotka&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;</pre>

```
<xsd:restriction base="xsd:string">
  <xsd:maxLength value="3"/>
  <xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element `stacking_package`

Namespace	No namespace
Annotations	Stohovatelnost
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 6
Used by	Element item
Source	<pre>&lt;xsd:element name="stacking_package"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Stohovatelnost&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:totalDigits value="6"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element `sscc_code`

Namespace	No namespace
Annotations	SSCC kód balení
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 18
Used by	Element item
Source	<pre>&lt;xsd:element name="sscc_code"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;SSCC kód balení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="18"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Element `next_lower_package_quantity`

Namespace	No namespace
Annotations	Počet balení nižší úrovně v daném balení
Type	restriction of xsd:integer
Properties	content: simple
Facets	totalDigits 8
Used by	Element item
Source	<pre>&lt;xsd:element name="next_lower_package_quantity"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Počet balení nižší úrovně v daném balení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:integer"&gt;       &lt;xsd:totalDigits value="8"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

```
</xsd:simpleType>
</xsd:element>
```

## Element next\_lower\_package\_type

Namespace	No namespace		
Annotations	Typ balení nižší úrovně v daném balení		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	BGE	Pytel velký
	enumeration	BX	Krabice, bedna
	enumeration	CS	Bedna, přepravka
	enumeration	CT	Skládačka, krabice, karton
	enumeration	DR	Sud
	enumeration	MPE	Skupinové balení
	enumeration	PC	Balíček
	enumeration	SA	Pytel
	enumeration	PK	Zabalená položka/v krabici
	enumeration	SL	Přepavní jednotka/vrstva
	enumeration	PCE	Kus
	enumeration	200	Pallet ISO 0 - 1/2 EURO Pallet (GS1 Code) 80 x 60 cm
	enumeration	201	Pallet ISO 1 - 1/1 EURO Pallet (GS1 Code) 80 x 120 cm
	enumeration	202	Pallet ISO 2 - 1/2 EURO Pallet (GS1 Code) 100 x 120 cm
	enumeration	203	1/4 EURO Pallet (GS1 Code) 60 x 40 cm
	enumeration	204	1/8 EURO Pallet (GS1 Code) 40 x 30 cm
	enumeration	211	Pallet 80 x 100 (GS1 Code)
	enumeration	212	Pallet 60 x 100 (GS1 Code)
Used by	Element	item	
Source	<pre>&lt;xsd:element name="next_lower_package_type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Typ balení nižší úrovně v daném balení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="BGE"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Pytel velký&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="BX"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Krabice, bedna&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="CS"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Bedna, přepravka&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="CT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Skládačka, krabice, karton&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="DR"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Sud&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="MPE"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Skupinové balení&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

```

        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="PC">
        <xsd:annotation>
          <xsd:documentation>Baliček</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="SA">
        <xsd:annotation>
          <xsd:documentation>Pytel</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="PK">
        <xsd:annotation>
          <xsd:documentation>Zabalená položka/v krabici</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="SL">
        <xsd:annotation>
          <xsd:documentation>Přepavní jednotka/vrstva</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="PCE">
        <xsd:annotation>
          <xsd:documentation>Kus</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="200">
        <xsd:annotation>
          <xsd:documentation>Pallet ISO 0 - 1/2 EURO Pallet (GS1 Code) 80 x 60 cm</
xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="201">
        <xsd:annotation>
          <xsd:documentation>Pallet ISO 1 - 1/1 EURO Pallet (GS1 Code) 80 x 120 cm</
xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="202">
        <xsd:annotation>
          <xsd:documentation>Pallet ISO 2 - 1/2 EURO Pallet (GS1 Code) 100 x 120 cm</
xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="203">
        <xsd:annotation>
          <xsd:documentation>1/4 EURO Pallet (GS1 Code) 60 x 40 cm</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="204">
        <xsd:annotation>
          <xsd:documentation>1/8 EURO Pallet (GS1 Code) 40 x 30 cm</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="211">
        <xsd:annotation>
          <xsd:documentation>Pallet 80 x 100 (GS1 Code)</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="212">
        <xsd:annotation>
          <xsd:documentation>Pallet 60 x 100 (GS1 Code)</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>

```

## Element articles

Namespace	No namespace	
Properties	content:	complex
Used by	Element	item
Model	article*	
Children	article	
Instance	<articles>   <article>{0,unbounded}</article>	

	</articles>
Source	<pre>&lt;xsd:element name="articles"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element maxOccurs="unbounded" ref="article" minOccurs="0" /&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element article

Namespace	No namespace
Properties	content: complex
Used by	Element articles
Model	ALL(item_number article_ean article_number{0,1} article_number_buyer{0,1} article_number_additional{0,1} article_number_additional_type{0,1} item_type{0,1} specification{0,1} quantity unit{0,1} number_of_units{0,1} country_origin{0,1} production_date{0,1} packaging_date{0,1} best_before_date{0,1} expiry_date{0,1} conformity_declaration{0,1} order_number{0,1} date_of_order{0,1} time_of_order{0,1} date_of_order_format{0,1} order_line_number{0,1} supplier_order_number{0,1} date_of_supplier_order{0,1} time_of_supplier_order{0,1} date_of_supplier_order_format{0,1} meaning_of_reference_number{0,1} reference_number{0,1} date_of_reference_number{0,1} time_of_reference_number{0,1} date_of_reference_number_format{0,1} batch_number{0,1} promotion_number{0,1} gross_price{0,1} vat_rate{0,1} serial_number{0,1} net_weight{0,1} tare_weight{0,1} free_text_law{0,1} eudr_reference_number{0,1} eudr_verification_number{0,1} srn_package*)
Children	article_ean, article_number, article_number_additional, article_number_additional_type, article_number_buyer, batch_number, best_before_date, conformity_declaration, country_origin, date_of_order, date_of_order_format, date_of_reference_number, date_of_reference_number_format, date_of_supplier_order, date_of_supplier_order_format, eudr_reference_number, eudr_verification_number, expiry_date, free_text_law, gross_price, item_number, item_type, meaning_of_reference_number, net_weight, number_of_units, order_line_number, order_number, packaging_date, production_date, promotion_number, quantity, reference_number, serial_number, specification, srn_package, supplier_order_number, tare_weight, time_of_order, time_of_reference_number, time_of_supplier_order, unit, vat_rate
Instance	<pre>&lt;article&gt;   &lt;item_number&gt;{1,1}&lt;/item_number&gt;   &lt;article_ean&gt;{1,1}&lt;/article_ean&gt;   &lt;article_number&gt;{0,1}&lt;/article_number&gt;   &lt;article_number_buyer&gt;{0,1}&lt;/article_number_buyer&gt;   &lt;article_number_additional&gt;{0,1}&lt;/article_number_additional&gt;   &lt;article_number_additional_type&gt;{0,1}&lt;/article_number_additional_type&gt;   &lt;item_type&gt;{0,1}&lt;/item_type&gt;   &lt;specification&gt;{0,1}&lt;/specification&gt;   &lt;quantity&gt;{1,1}&lt;/quantity&gt;   &lt;unit&gt;{0,1}&lt;/unit&gt;   &lt;number_of_units&gt;{0,1}&lt;/number_of_units&gt;   &lt;country_origin&gt;{0,1}&lt;/country_origin&gt;   &lt;production_date&gt;{0,1}&lt;/production_date&gt;   &lt;packaging_date&gt;{0,1}&lt;/packaging_date&gt;   &lt;best_before_date&gt;{0,1}&lt;/best_before_date&gt;   &lt;expiry_date&gt;{0,1}&lt;/expiry_date&gt;   &lt;conformity_declaration&gt;{0,1}&lt;/conformity_declaration&gt;   &lt;order_number&gt;{0,1}&lt;/order_number&gt;   &lt;date_of_order&gt;{0,1}&lt;/date_of_order&gt;   &lt;time_of_order&gt;{0,1}&lt;/time_of_order&gt;   &lt;date_of_order_format&gt;{0,1}&lt;/date_of_order_format&gt;   &lt;order_line_number&gt;{0,1}&lt;/order_line_number&gt;   &lt;supplier_order_number&gt;{0,1}&lt;/supplier_order_number&gt;   &lt;date_of_supplier_order&gt;{0,1}&lt;/date_of_supplier_order&gt;   &lt;time_of_supplier_order&gt;{0,1}&lt;/time_of_supplier_order&gt;   &lt;date_of_supplier_order_format&gt;{0,1}&lt;/date_of_supplier_order_format&gt;   &lt;meaning_of_reference_number&gt;{0,1}&lt;/meaning_of_reference_number&gt;   &lt;reference_number&gt;{0,1}&lt;/reference_number&gt;   &lt;date_of_reference_number&gt;{0,1}&lt;/date_of_reference_number&gt;   &lt;time_of_reference_number&gt;{0,1}&lt;/time_of_reference_number&gt;   &lt;date_of_reference_number_format&gt;{0,1}&lt;/date_of_reference_number_format&gt;   &lt;batch_number&gt;{0,1}&lt;/batch_number&gt;   &lt;promotion_number&gt;{0,1}&lt;/promotion_number&gt;   &lt;gross_price&gt;{0,1}&lt;/gross_price&gt;   &lt;vat_rate&gt;{0,1}&lt;/vat_rate&gt;   &lt;serial_number&gt;{0,1}&lt;/serial_number&gt;   &lt;net_weight&gt;{0,1}&lt;/net_weight&gt;   &lt;tare_weight&gt;{0,1}&lt;/tare_weight&gt;   &lt;free_text_law&gt;{0,1}&lt;/free_text_law&gt;   &lt;eudr_reference_number&gt;{0,1}&lt;/eudr_reference_number&gt;   &lt;eudr_verification_number&gt;{0,1}&lt;/eudr_verification_number&gt;   &lt;srn_package&gt;{0,unbounded}&lt;/srn_package&gt; &lt;/article&gt;</pre>
Source	<pre>&lt;xsd:element name="article"&gt;   &lt;xsd:complexType&gt;</pre>



```

<xsd:all>
  <xsd:element ref="item_number"/>
  <xsd:element ref="article_ean"/>
  <xsd:element ref="article_number" minOccurs="0"/>
  <xsd:element ref="article_number_buyer" minOccurs="0"/>
  <xsd:element ref="article_number_additional" minOccurs="0"/>
  <xsd:element ref="article_number_additional_type" minOccurs="0"/>
  <xsd:element ref="item_type" minOccurs="0"/>
  <xsd:element ref="specification" minOccurs="0"/>
  <xsd:element ref="quantity"/>
  <xsd:element ref="unit" minOccurs="0"/>
  <xsd:element ref="number_of_units" minOccurs="0"/>
  <xsd:element ref="country_origin" minOccurs="0"/>
  <xsd:element ref="production_date" minOccurs="0"/>
  <xsd:element ref="packaging_date" minOccurs="0"/>
  <xsd:element ref="best_before_date" minOccurs="0"/>
  <xsd:element ref="expiry_date" minOccurs="0"/>
  <xsd:element ref="conformity_declaration" minOccurs="0"/>
  <xsd:element ref="order_number" minOccurs="0"/>
  <xsd:element ref="date_of_order" minOccurs="0"/>
  <xsd:element ref="time_of_order" minOccurs="0"/>
  <xsd:element ref="date_of_order_format" minOccurs="0"/>
  <xsd:element ref="order_line_number" minOccurs="0"/>
  <xsd:element ref="supplier_order_number" minOccurs="0"/>
  <xsd:element ref="date_of_supplier_order" minOccurs="0"/>
  <xsd:element ref="time_of_supplier_order" minOccurs="0"/>
  <xsd:element ref="date_of_supplier_order_format" minOccurs="0"/>
  <xsd:element ref="meaning_of_reference_number" minOccurs="0"/>
  <xsd:element ref="reference_number" minOccurs="0"/>
  <xsd:element ref="date_of_reference_number" minOccurs="0"/>
  <xsd:element ref="time_of_reference_number" minOccurs="0"/>
  <xsd:element ref="date_of_reference_number_format" minOccurs="0"/>
  <xsd:element ref="batch_number" minOccurs="0"/>
  <xsd:element ref="promotion_number" minOccurs="0"/>
  <xsd:element ref="gross_price" minOccurs="0"/>
  <xsd:element ref="vat_rate" minOccurs="0"/>
  <xsd:element ref="serial_number" minOccurs="0"/>
  <xsd:element ref="net_weight" minOccurs="0"/>
  <xsd:element ref="tare_weight" minOccurs="0"/>
  <xsd:element ref="free_text_law" minOccurs="0"/>
  <xsd:element ref="eudr_reference_number" minOccurs="0"/>
  <xsd:element ref="eudr_verification_number" minOccurs="0"/>
  <xsd:element ref="srn_package" maxOccurs="unbounded" minOccurs="0"/>
</xsd:all>
</xsd:complexType>
</xsd:element>

```

## Element item\_number

Namespace	No namespace
Annotations	Číslo řádku
Type	restriction of xsd:positiveInteger
Properties	content: simple
Facets	totalDigits 6
Used by	Element article
Source	<pre> &lt;xsd:element name="item_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo řádku&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:positiveInteger"&gt;       &lt;xsd:totalDigits value="6"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element article\_ean

Namespace	No namespace
Annotations	Globální číslo pro obchodní položku - GTIN kód zboží
Type	restriction of xsd:string
Properties	content: simple

Facets	minLength	1
	maxLength	17
Used by	Element	article
Source	<pre>&lt;xsd:element name="article_ean"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Globální číslo pro obchodní položku - GTIN kód zboží&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="17"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element article\_number

Namespace	No namespace	
Annotations	Číslo zboží dodavatele	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	25
Used by	Element	article
Source	<pre>&lt;xsd:element name="article_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo zboží dodavatele&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="25"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element article\_number\_buyer

Namespace	No namespace	
Annotations	Číslo zboží kupujícího	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	25
Used by	Element	article
Source	<pre>&lt;xsd:element name="article_number_buyer"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo zboží kupujícího&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="25"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element article\_number\_additional

Namespace	No namespace	
Annotations	Doplňkové číslo zboží	
Type	restriction of xsd:string	

Properties	content:	simple
Facets	minLength	1
	maxLength	25
Used by	Element	article
Source	<pre>&lt;xsd:element name="article_number_additional"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Doplňkové číslo zboží&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="25"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element article\_number\_additional\_type

Namespace	No namespace	
Annotations	Typ čísla zboží k doplňkové identifikaci	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	3
Used by	Element	article
Source	<pre>&lt;xsd:element name="article_number_additional_type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Typ čísla zboží k doplňkové identifikaci&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="3"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element item\_type

Namespace	No namespace	
Annotations	Typ položky	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	enumeration	Z Zboží
	enumeration	O Obaly
Used by	Element	article
Source	<pre>&lt;xsd:element name="item_type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Typ položky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:enumeration value="Z"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Zboží&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;       &lt;xsd:enumeration value="O"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Obaly&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt;</pre>	

</xsd:element>

## Element specification

Namespace	No namespace	
Annotations	Dodatečná specifikace - popis položky	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	70
Used by	Element	article
Source	<pre>&lt;xsd:element name="specification"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Dodatečná specifikace - popis položky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element quantity

Namespace	No namespace	
Annotations	Dodané množství	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	3
	pattern	(.?) {12}
Used by	Element	article
Source	<pre>&lt;xsd:element name="quantity"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Dodané množství&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Délka 12 včetně 3 des. míst a oddělovače (tečka)&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;       &lt;xsd:totalDigits value="12"/&gt;       &lt;xsd:fractionDigits value="3"/&gt;       &lt;xsd:pattern value="(.) {12}"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element unit

Namespace	No namespace	
Annotations	Dodané množství - měrná jednotka	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	3
Used by	Element	article
Source	<pre>&lt;xsd:element name="unit"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Dodané množství - měrná jednotka&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>	

```

</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

## Element number\_of\_units

Namespace	No namespace						
Annotations	Počet spotřebitelských jednotek v balení						
Type	restriction of xsd:decimal						
Properties	content: simple						
Facets	<table> <tr> <td>totalDigits</td><td>12</td></tr> <tr> <td>fractionDigits</td><td>3</td></tr> <tr> <td>pattern</td><td>(.?) {12}</td></tr> </table>	totalDigits	12	fractionDigits	3	pattern	(.?) {12}
totalDigits	12						
fractionDigits	3						
pattern	(.?) {12}						
Used by	Element article						
Source	<pre> &lt;xsd:element name="number_of_units"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Počet spotřebitelských jednotek v balení&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Délka 12 včetně 3 des. míst a oddělovače (tečka)&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;       &lt;xsd:totalDigits value="12"/&gt;       &lt;xsd:fractionDigits value="3"/&gt;       &lt;xsd:pattern value="(.) {12}"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>						

## Element production\_date

Namespace	No namespace
Annotations	Vyrobena dne
Type	xsd:date
Properties	content: simple
Used by	Element article
Source	<pre> &lt;xsd:element name="production_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Vyrobena dne&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element packaging\_date

Namespace	No namespace
Annotations	Baleno dne
Type	xsd:date
Properties	content: simple
Used by	Element article
Source	<pre> &lt;xsd:element name="packaging_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Baleno dne&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## Element best\_before\_date

Namespace	No namespace
-----------	--------------

Annotations	Minimální trvanlivost do data
Type	xsd:date
Properties	content: simple
Used by	Element article
Source	<pre>&lt;xsd:element name="best_before_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Minimální trvanlivost do data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element expiry\_date

Namespace	No namespace
Annotations	Použitelnost do data
Type	xsd:date
Properties	content: simple
Used by	Element article
Source	<pre>&lt;xsd:element name="expiry_date" type="xsd:date"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Použitelnost do data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## Element conformity\_declaration

Namespace	No namespace				
Annotations	Prohlášení o shodě - volný text				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>70</td></tr> </table>	minLength	1	maxLength	70
minLength	1				
maxLength	70				
Used by	Element article				
Source	<pre>&lt;xsd:element name="conformity_declaration"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Prohlášení o shodě - volný text&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>				

## Element order\_line\_number

Namespace	No namespace				
Annotations	Číslo řádku na objednávce zákazníka				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>6</td></tr> </table>	minLength	1	maxLength	6
minLength	1				
maxLength	6				
Used by	Element article				
Source	<pre>&lt;xsd:element name="order_line_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo řádku na objednávce zákazníka&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;</pre>				

```
<xsd:maxLength value="6"/>
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

## Element batch\_number

Namespace	No namespace	
Annotations	Číslo šarže	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	20
Used by	Element	article
Source	<pre>&lt;xsd:element name="batch_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Číslo šarže&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="20"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element gross\_price

Namespace	No namespace	
Annotations	Cena za jednotku	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	4
	pattern	(.?) {12}
Used by	Element	article
Source	<pre>&lt;xsd:element name="gross_price"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Cena za jednotku&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Délka 12 včetně 4 des. míst a oddělovače (tečka)&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;       &lt;xsd:totalDigits value="12"/&gt;       &lt;xsd:fractionDigits value="4"/&gt;       &lt;xsd:pattern value="(.) {12}"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element vat\_rate

Namespace	No namespace	
Annotations	Sazba DPH	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	4
	fractionDigits	2
	maxInclusive	100

Used by	Element article
Source	<pre> &lt;xsd:element name="vat_rate"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sazba DPH&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Délka 5 včetně 2 des. míst a oddělovače (tečka)&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;       &lt;xsd:totalDigits value="4"/&gt;       &lt;xsd:fractionDigits value="2"/&gt;       &lt;xsd:maxInclusive value="100"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element serial\_number

Namespace	No namespace				
Annotations	Sériové číslo zboží				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>25</td></tr> </table>	minLength	1	maxLength	25
minLength	1				
maxLength	25				
Used by	Element article				
Source	<pre> &lt;xsd:element name="serial_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sériové číslo zboží&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="25"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>				

## Element net\_weight

Namespace	No namespace
Annotations	Čistá hmotnost položky
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 12
Used by	Element article
Source	<pre> &lt;xsd:element name="net_weight"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Čistá hmotnost položky&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:totalDigits value="12"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>

## Element tare\_weight

Namespace	No namespace
Annotations	Hmotnost obalu
Type	restriction of xsd:decimal
Properties	content: simple



Facets	totalDigits	12
Used by	Element	article
Source	<pre>&lt;xsd:element name="tare_weight"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Hmotnost obalu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:decimal"&gt;       &lt;xsd:totalDigits value="12"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

### Element free\_text\_law

Namespace	No namespace	
Annotations	Textové informace vyplývající z legislativních požadavků např. BIO-ECO certifikát	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	512
Used by	Element	article
Source	<pre>&lt;xsd:element name="free_text_law"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Textové informace vyplývající z legislativních požadavků např. BIO-ECO certifikát&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="512"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

### Element eudr\_reference\_number

Namespace	No namespace	
Annotations	Due Diligence - Reference Number	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	70
Used by	Element	article
Source	<pre>&lt;xsd:element name="eudr_reference_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Due Diligence - Reference Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

### Element eudr\_verification\_number

Namespace	No namespace	
Annotations	Due Diligence - Verification Number	
Type	restriction of xsd:string	
Properties	content:	simple

Facets	minLength	1
	maxLength	70
Used by	Element	article
Source	<pre>&lt;xsd:element name="eudr_verification_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Due Diligence - Verification Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="70"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element srn\_package

Namespace	No namespace	
Properties	content:	complex
Used by	Element	article
Model	srn_number*	
Children	srn_number	
Instance	<pre>&lt;srn_package&gt;   &lt;srn_number&gt;{0,unbounded}&lt;/srn_number&gt; &lt;/srn_package&gt;</pre>	
Source	<pre>&lt;xsd:element name="srn_package"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element maxOccurs="unbounded" ref="srn_number" minOccurs="0"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>	

## Element srn\_number

Namespace	No namespace	
Annotations	Sériové číslo artiklu	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	srn_package
Source	<pre>&lt;xsd:element name="srn_number"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sériové číslo artiklu&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:maxLength value="35"/&gt;       &lt;xsd:minLength value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	

## Element summary

Namespace	No namespace	
Properties	content:	complex
Used by	Element	xml_document
Model	ALL(number_of_items{0,1})	
Children	number_of_items	
Instance	<summary>	

	<pre>&lt;number_of_items&gt;{0,1}&lt;/number_of_items&gt; &lt;/summary&gt;</pre>
Source	<pre>&lt;xsd:element name="summary"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:all&gt;       &lt;xsd:element ref="number_of_items" minOccurs="0"/&gt;     &lt;/xsd:all&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

## Element number\_of\_items

Namespace	No namespace
Annotations	Počet řádkových položek ve zprávě (article)
Type	restriction of xsd:positiveInteger
Properties	content: simple
Facets	totalDigits 6
Used by	Element summary
Source	<pre>&lt;xsd:element name="number_of_items"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Počet řádkových položek ve zprávě (article)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:positiveInteger"&gt;       &lt;xsd:totalDigits value="6"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

## Simple Type(s)

### Simple Type short\_time

Namespace	No namespace
Type	restriction of xsd:string
Facets	pattern (([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Elements collection_time, delivery_time, delivery_time_earliest, delivery_time_latest, departure_time, time_of_reference_number
Source	<pre>&lt;xsd:simpleType name="short_time"&gt;   &lt;xsd:restriction base="xsd:string"&gt;     &lt;xsd:pattern value="((([0-1][0-9]) (2[0-3])):[0-5][0-9])"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>

### Simple Type time

Namespace	No namespace
Type	restriction of xsd:string
Facets	pattern (([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?
Used by	Elements document_time, time_of_despatch_advice, time_of_order, time_of_supplier_order
Source	<pre>&lt;xsd:simpleType name="time"&gt;   &lt;xsd:restriction base="xsd:string"&gt;     &lt;xsd:pattern value="((([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?)/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>

## Attribute(s)

### Attribute xml\_document / @type\_identifier

Namespace	No namespace
-----------	--------------

Properties	use: required
Used by	Element xml_document
Source	<code>&lt;xsd:attribute name="type_identifier" use="required"/&gt;</code>

#### Attribute xml\_document / @version\_number

Namespace	No namespace
Used by	Element xml_document
Source	<code>&lt;xsd:attribute name="version_number"/&gt;</code>

#### Attribute xml\_document / @subversion\_number

Namespace	No namespace
Used by	Element xml_document
Source	<code>&lt;xsd:attribute name="subversion_number"/&gt;</code>

#### Attribute @type\_identifier

Namespace	No namespace
Annotations	Document Type
Type	restriction of xsd:string
Properties	content: simple
Facets	length 6
Source	<pre> &lt;xsd:attribute name="type_identifier"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Document Type&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:length value="6"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:attribute&gt; </pre>

#### Attribute @version\_number

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 35
Source	<pre> &lt;xsd:attribute name="version_number"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:string"&gt;       &lt;xsd:minLength value="1"/&gt;       &lt;xsd:maxLength value="35"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:attribute&gt; </pre>

#### Attribute @subversion\_number

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 35
Source	<pre> &lt;xsd:attribute name="subversion_number"&gt;   &lt;xsd:simpleType&gt; </pre>

```
<xsd:restriction base="xsd:string">  
  <xsd:minLength value="1"/>  
  <xsd:maxLength value="35"/>  
</xsd:restriction>  
</xsd:simpleType>  
</xsd:attribute>
```