

Schema documentation for recadv_xml11_EN.xsd

november 8, 2016

Table of Contents


Resource hierarchy:	2
Namespace: ""	2
Schema(s)	2
Main schema recadv_xml11_EN.xsd	2
Included schema header_xml11.xsd	3
Element(s)	3
Element biztalk_1	3
Element header	3
Element delivery	4
Element message	4
Element messageID	4
Element sent	5
Element subject	5
Element interchange	5
Element interchange_date	6
Element interchange_time	6
Element message_count	6
Element to	6
Element address	7
Element state	7
Element referenceID	7
Element handle	8
Element process	8
Element ediid	8
Element routing	8
Element test_indicator	9
Element from	9
Element manifest	9
Element document	10
Element userdocid	10
Element name	10
Element description	11
Element message_number	11
Element attachment	11
Element index	12
Element filename	12
Element type	12
Element body	12
Element xml_document	13
Element form_header	13
Element document_type	14
Element message_function	14
Element document_date	15
Element document_date_format	15
Element delivery_date	15
Element delivery_time	16
Element delivery_date_format	16
Element receiving_date	16
Element receiving_time	17
Element receiving_date_format	17
Element registration	17
Element referencies	18
Element order_number	18
Element date_of_order	19
Element date_of_order_format	19
Element supplier_order_number	19
Element date_of_supplier_order	19
Element date_of_supplier_order_format	20
Element delivery_note_number	20
Element date_of_delivery_note	20

Element date_of_delivery_note_format	21
Element receipt_number	21
Element date_of_receipt	21
Element date_of_receipt_format	21
Element buyer	22
Element party_qualifier	23
Element party_ean	23
Element party_name_1	24
Element party_name_2	24
Element party_name_3	24
Element party_name_4	25
Element party_name_5	25
Element street_1	25
Element street_2	26
Element street_3	26
Element street_4	26
Element place	27
Element postcode	27
Element country_code	27
Element tax_id	28
Element company_id	28
Element fiscal_id	28
Element add_id	29
Element purchaser	29
Element delivery_place	29
Element invoicee	30
Element supplier	30
Element storehouse	31
Element line_items	32
Element item	32
Element item_number	33
Element article_ean	33
Element article_number	34
Element article_number_buyer	34
Element specification	34
Element item_type	35
Element net_price	35
Element gross_price	36
Element total_price	36
Element vat_rate	36
Element quantity_ordered	37
Element quantity_delivered	37
Element quantity_received	38
Element unit	38
Simple Type(s)	38
Simple Type short_time	38
Simple Type time	39
Attribute(s)	39
Attribute xml_document / @type_identifier	39
Attribute xml_document / @version_number	39
Attribute xml_document / @subversion_number	39
Attribute @type_identifier	39
Attribute @version_number	40
Attribute @subversion_number	40

Resource hierarchy:

Legend:  Import,  Include,  Redefine,  Override,  Cycle detected

recadv_xml11_EN.xsd

 header_xml11.xsd

Namespace: ""

Schema(s)

Main schema recadv_xml11_EN.xsd

Namespace	No namespace
-----------	--------------

Annotations	<p>Schema name: recadv_xml11</p> <p>Author: Karin Pustaiova, EDITEL CZ, s.r.o.</p> <p>changelog v1-1: + element message_number added into parent element 'form_header'</p> <p>changelog v1-2: + elements receiving_date, delivery_place, order_number, delivery_note_number in form_header changed to optional</p> <p>changelog v1-3: ! element postcode extended to 17 characters</p>						
Properties	<table> <tr> <td>attribute form default:</td><td>unqualified</td></tr> <tr> <td>element form default:</td><td>unqualified</td></tr> <tr> <td>version:</td><td>1.3</td></tr> </table>	attribute form default:	unqualified	element form default:	unqualified	version:	1.3
attribute form default:	unqualified						
element form default:	unqualified						
version:	1.3						

Included schema header_xml11.xsd

Namespace	No namespace						
Annotations	<p>Schema name: header_xml11</p> <p>changelog v1-1: + element 'routing' added into the parent element 'state'</p> <p>changelog v1-2: + element 'message_count' added into the parent element 'message'</p>						
Properties	<table> <tr> <td>attribute form default:</td><td>unqualified</td></tr> <tr> <td>element form default:</td><td>unqualified</td></tr> <tr> <td>version:</td><td>1.2</td></tr> </table>	attribute form default:	unqualified	element form default:	unqualified	version:	1.2
attribute form default:	unqualified						
element form default:	unqualified						
version:	1.2						

Element(s)

Element biztalk_1

Namespace	No namespace
Properties	content: complex
Model	header , body
Children	body, header
Instance	<pre><biztalk_1> <header>{1,1}</header> <body>{1,1}</body> </biztalk_1></pre>
Source	<pre><xsd:element name="biztalk_1"> <xsd:complexType> <xsd:sequence> <xsd:element ref="header"/> <xsd:element ref="body"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

Element header

Namespace	No namespace
Properties	content: complex
Used by	Element biztalk_1
Model	ALL(delivery manifest)
Children	delivery, manifest
Instance	<pre><header> <delivery>{1,1}</delivery> <manifest>{1,1}</manifest> </header></pre>
Source	<pre><xsd:element name="header"> <xsd:complexType></pre>

```
<xsd:all>
  <xsd:element ref="delivery" maxOccurs="1" minOccurs="1"/>
  <xsd:element ref="manifest" maxOccurs="1" minOccurs="1"/>
</xsd:all>
</xsd:complexType>
</xsd:element>
```

Element delivery

Namespace	No namespace
Properties	content: complex
Used by	Element header
Model	ALL(message to from)
Children	from, message, to
Instance	<pre><delivery> <message>{1,1}</message> <to>{1,1}</to> <from>{1,1}</from> </delivery></pre>
Source	<pre><xsd:element name="delivery"> <xsd:complexType> <xsd:all> <xsd:element ref="message" maxOccurs="1" minOccurs="1"/> <xsd:element ref="to" maxOccurs="1" minOccurs="1"/> <xsd:element ref="from" maxOccurs="1" minOccurs="1"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element message

Namespace	No namespace
Properties	content: complex
Used by	Element delivery
Model	ALL(messageID sent {0,1} subject {0,1} interchange {0,1} interchange_date interchange_time message_count {0,1})
Children	interchange, interchange_date, interchange_time, messageID, message_count, sent, subject
Instance	<pre><message> <messageID>{1,1}</messageID> <sent>{0,1}</sent> <subject>{0,1}</subject> <interchange>{0,1}</interchange> <interchange_date>{1,1}</interchange_date> <interchange_time>{1,1}</interchange_time> <message_count>{0,1}</message_count> </message></pre>
Source	<pre><xsd:element name="message"> <xsd:complexType> <xsd:all> <xsd:element ref="messageID" maxOccurs="1" minOccurs="1"/> <xsd:element ref="sent" maxOccurs="1" minOccurs="0"/> <xsd:element ref="subject" maxOccurs="1" minOccurs="0"/> <xsd:element ref="interchange" maxOccurs="1" minOccurs="0"/> <xsd:element ref="interchange_date" maxOccurs="1" minOccurs="1"/> <xsd:element ref="interchange_time" maxOccurs="1" minOccurs="1"/> <xsd:element ref="message_count" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element messageID

Namespace	No namespace
Annotations	Unique Identification ID of The Message
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 0

	maxLength	14
Used by	Element	message
Source	<pre><xsd:element name="messageID"> <xsd:annotation> <xsd:documentation>Unique Identification ID of The Message</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="0"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element sent

Namespace	No namespace	
Annotations	Sending Date in Short Form	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	message
Source	<pre><xsd:element name="sent"> <xsd:annotation> <xsd:documentation>Sending Date in Short Form</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element subject

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	0
	maxLength	3
Used by	Element	message
Source	<pre><xsd:element name="subject"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="0"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element interchange

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	0
	maxLength	14
Used by	Element	message

Source	<pre><xsd:element name="interchange"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="0"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>
--------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Element interchange_date

Namespace	No namespace
Type	xsd:date
Properties	content: simple
Used by	Element message
Source	<pre><xsd:element name="interchange_date" type="xsd:date"/></pre>

Element interchange_time

Namespace	No namespace
Type	xsd:time
Properties	content: simple
Used by	Element message
Source	<pre><xsd:element name="interchange_time" type="xsd:time"/></pre>

Element message_count

Namespace	No namespace				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>14</td></tr> </table>	minLength	1	maxLength	14
minLength	1				
maxLength	14				
Used by	Element message				
Source	<pre><xsd:element name="message_count"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="14"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>				

Element to

Namespace	No namespace
Properties	content: complex
Used by	Element delivery
Model	ALL(address{0,1} state)
Children	address, state
Instance	<pre><to> <address>{0,1}</address> <state>{1,1}</state> </to></pre>
Source	<pre><xsd:element name="to"> <xsd:complexType> <xsd:all> <xsd:element ref="address" maxOccurs="1" minOccurs="0"/> <xsd:element ref="state" maxOccurs="1" minOccurs="1"/> </xsd:all> </xsd:complexType></pre>

```
</xsd:element>
```

Element address

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	70
Used by	Elements	from, to
Source	<pre><xsd:element name="address"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="70"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element state

Namespace	No namespace	
Properties	content:	complex
Used by	Elements	from, to
Model	ALL(referenceID{0,1} handle{0,1} process{0,1} ediid routing{0,1} test_indicator{0,1})	
Children	ediid, handle, process, referenceID, routing, test_indicator	
Instance	<pre><state> <referenceID>{0,1}</referenceID> <handle>{0,1}</handle> <process>{0,1}</process> <ediid>{1,1}</ediid> <routing>{0,1}</routing> <test_indicator>{0,1}</test_indicator> </state></pre>	
Source	<pre><xsd:element name="state"> <xsd:complexType> <xsd:all> <xsd:element ref="referenceID" maxOccurs="1" minOccurs="0"/> <xsd:element ref="handle" maxOccurs="1" minOccurs="0"/> <xsd:element ref="process" maxOccurs="1" minOccurs="0"/> <xsd:element ref="ediid" maxOccurs="1" minOccurs="1"/> <xsd:element ref="routing" maxOccurs="1" minOccurs="0"/> <xsd:element ref="test_indicator" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>	

Element referenceID

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	state
Source	<pre><xsd:element name="referenceID"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element handle

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	state
Source	<pre><xsd:element name="handle"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element process

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	state
Source	<pre><xsd:element name="process"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element ediid

Namespace	No namespace	
Annotations	Unique Identification of Party (usually GLN)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	14
Used by	Element	state
Source	<pre><xsd:element name="ediid"> <xsd:annotation> <xsd:documentation>Unique Identification of Party (usually GLN)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element routing

Namespace	No namespace	
Annotations	Routing Address	
Type	restriction of xsd:string	

Properties	content:	simple
Facets	minLength	1
	maxLength	14
Used by	Element	state
Source	<pre><xsd:element name="routing"> <xsd:annotation> <xsd:documentation>Routing Address</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element test_indicator

Namespace	No namespace	
Annotations	In Case of Test Message Set "1"	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	length	1
Used by	Element	state
Source	<pre><xsd:element name="test_indicator"> <xsd:annotation> <xsd:documentation>In Case of Test Message Set "1"</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element from

Namespace	No namespace	
Properties	content:	complex
Used by	Element	delivery
Model	ALL(address{0,1} state)	
Children	address, state	
Instance	<pre><from> <address>{0,1}</address> <state>{1,1}</state> </from></pre>	
Source	<pre><xsd:element name="from"> <xsd:complexType> <xsd:all> <xsd:element ref="address" maxOccurs="1" minOccurs="0"/> <xsd:element ref="state" maxOccurs="1" minOccurs="1"/> </xsd:all> </xsd:complexType> </xsd:element></pre>	

Element manifest

Namespace	No namespace	
Properties	content:	complex
Used by	Element	header
Model	ALL(document attachment{0,1})	

Children	attachment, document
Instance	<pre><manifest> <document>{1,1}</document> <attachment>{0,1}</attachment> </manifest></pre>
Source	<pre><xsd:element name="manifest"> <xsd:complexType> <xsd:all> <xsd:element ref="document" maxOccurs="1" minOccurs="1"/> <xsd:element ref="attachment" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element document

Namespace	No namespace
Properties	content: complex
Used by	Element manifest
Model	ALL(userdocid name description{0,1} message_number{0,1})
Children	description, message_number, name, userdocid
Instance	<pre><document> <userdocid>{1,1}</userdocid> <name>{1,1}</name> <description>{0,1}</description> <message_number>{0,1}</message_number> </document></pre>
Source	<pre><xsd:element name="document"> <xsd:complexType> <xsd:all> <xsd:element ref="userdocid" maxOccurs="1" minOccurs="1"/> <xsd:element ref="name" maxOccurs="1" minOccurs="1"/> <xsd:element ref="description" maxOccurs="1" minOccurs="0"/> <xsd:element ref="message_number" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element userdocid

Namespace	No namespace				
Annotations	Document Number				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Elements document, form_header				
Source	<pre><xsd:element name="userdocid"> <xsd:annotation> <xsd:documentation>Document Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>				

Element name

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple

Facets	enumeration	xml_document
Used by	Element	document
Source	<pre><xsd:element name="name"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="xml_document"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element description

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	attachment, document
Source	<pre><xsd:element name="description"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element message_number

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	14
Used by	Elements	document, form_header
Source	<pre><xsd:element name="message_number"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element attachment

Namespace	No namespace	
Properties	content:	complex
Used by	Element	manifest
Model	ALL(index{0,1} filename{0,1} description{0,1} type{0,1})	
Children	description, filename, index, type	
Instance	<pre><attachment> <index>{0,1}</index> <filename>{0,1}</filename> <description>{0,1}</description> <type>{0,1}</type> </attachment></pre>	
Source	<pre><xsd:element name="attachment"> <xsd:complexType> <xsd:all> <xsd:element ref="index" maxOccurs="1" minOccurs="0"/></pre>	

```

<xsd:element ref="filename" maxOccurs="1" minOccurs="0"/>
<xsd:element ref="description" maxOccurs="1" minOccurs="0"/>
<xsd:element ref="type" maxOccurs="1" minOccurs="0"/>
</xsd:all>
</xsd:complexType>
</xsd:element>

```

Element index

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	attachment
Source	<pre> <xsd:element name="index"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element filename

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	255
Used by	Element	attachment
Source	<pre> <xsd:element name="filename"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="255"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element type

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	attachment
Source	<pre> <xsd:element name="type"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element body

Namespace	No namespace	
-----------	--------------	--

Properties	content: complex
Used by	Element biztalk_1
Model	xml_document
Children	xml_document
Instance	<pre><body> <xml_document subversion_number="" type_identifier="" version_number="">{1,1}</xml_document> </body></pre>
Source	<pre><xsd:element name="body"> <xsd:complexType> <xsd:sequence> <xsd:element ref="xml_document" /> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

Element xml_document

Namespace	No namespace			
Annotations	Receiving Advice (RECADV)			
Properties	content:	complex		
Used by	Element	body		
Model	form_header , line_items{0,1}			
Children	form_header, line_items			
Instance	<pre><xml_document subversion_number="" type_identifier="" version_number=""> <form_header>{1,1}</form_header> <line_items>{0,1}</line_items> </xml_document></pre>			
Attributes	QName	Type	Use	
	subversion_number		optional	
	type_identifier		required	
	version_number		optional	
Source	<pre><xsd:element name="xml_document"> <xsd:annotation> <xsd:documentation>Receiving Advice (RECADV)</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="form_header"/> <xsd:element ref="line_items" minOccurs="0"/> </xsd:sequence> <xsd:attribute name="type_identifier" use="required"/> <xsd:attribute name="version_number"/> <xsd:attribute name="subversion_number"/> </xsd:complexType> </xsd:element></pre>			

Element form_header

Namespace	No namespace
Annotations	Message header
Properties	content: complex
Used by	Element xml_document
Model	ALL(message_number{0,1} userdocid document_type{0,1} message_function{0,1} document_date document_date_format{0,1} delivery_date{0,1} delivery_time{0,1} delivery_date_format{0,1} receiving_date{0,1} receiving_time{0,1} receiving_date_format{0,1} registration{0,1} referencies buyer purchaser{0,1} delivery_place{0,1} invoicee{0,1} supplier storehouse{0,1})
Children	buyer, delivery_date, delivery_date_format, delivery_place, delivery_time, document_date, document_date_format, document_type, invoicee, message_function, message_number, purchaser, receiving_date, receiving_date_format, receiving_time, referencies, registration, storehouse, supplier, userdocid
Instance	<form_header> <message_number>{0,1}</message_number> <userdocid>{1,1}</userdocid>

	<pre> <document_type>{0,1}</document_type> <message_function>{0,1}</message_function> <document_date>{1,1}</document_date> <document_date_format>{0,1}</document_date_format> <delivery_date>{0,1}</delivery_date> <delivery_time>{0,1}</delivery_time> <delivery_date_format>{0,1}</delivery_date_format> <receiving_date>{0,1}</receiving_date> <receiving_time>{0,1}</receiving_time> <receiving_date_format>{0,1}</receiving_date_format> <registration>{0,1}</registration> <referencies>{1,1}</referencies> <buyer>{1,1}</buyer> <purchaser>{0,1}</purchaser> <delivery_place>{0,1}</delivery_place> <invoicee>{0,1}</invoicee> <supplier>{1,1}</supplier> <storehouse>{0,1}</storehouse> </form_header> </pre>
Source	<pre> <xsd:element name="form_header"> <xsd:annotation> <xsd:documentation>Message header</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:all> <xsd:element ref="message_number" minOccurs="0"/> <xsd:element ref="userdocid"/> <xsd:element ref="document_type" minOccurs="0"/> <xsd:element ref="message_function" minOccurs="0"/> <xsd:element ref="document_date"/> <xsd:element ref="document_date_format" minOccurs="0"/> <xsd:element ref="delivery_date" minOccurs="0"/> <xsd:element ref="delivery_time" minOccurs="0"/> <xsd:element ref="delivery_date_format" minOccurs="0"/> <xsd:element ref="receiving_date" minOccurs="0"/> <xsd:element ref="receiving_time" minOccurs="0"/> <xsd:element ref="receiving_date_format" minOccurs="0"/> <xsd:element ref="registration" minOccurs="0"/> <xsd:element ref="referencies"/> <xsd:element ref="buyer"/> <xsd:element ref="purchaser" minOccurs="0"/> <xsd:element ref="delivery_place" minOccurs="0"/> <xsd:element ref="invoicee" minOccurs="0"/> <xsd:element ref="supplier"/> <xsd:element ref="storehouse" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element document_type

Namespace	No namespace
Annotations	Message Type - Code
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration 632 Goods receipt
Used by	Element form_header
Source	<pre> <xsd:element name="document_type"> <xsd:annotation> <xsd:documentation>Message Type - Code</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="632"> <xsd:annotation> <xsd:documentation>Goods receipt</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element message_function

Namespace	No namespace
-----------	--------------

Annotations	Message Function - Confirmation Code
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration 9 Original
Used by	Element form_header
Source	<pre> <xsd:element name="message_function"> <xsd:annotation> <xsd:documentation>Message Function - Confirmation Code</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="9"> <xsd:annotation> <xsd:documentation>Original</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element document_date

Namespace	No namespace
Annotations	Date of Issue
Type	xsd:date
Properties	content: simple
Used by	Element form_header
Source	<pre> <xsd:element name="document_date" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Issue</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element document_date_format

Namespace	No namespace
Annotations	Date of Issue - Format Qualifier
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration 102 YYYY-MM-DD
Used by	Element form_header
Source	<pre> <xsd:element name="document_date_format"> <xsd:annotation> <xsd:documentation>Date of Issue - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element delivery_date

Namespace	No namespace
Annotations	Date of Delivery
Type	xsd:date
Properties	content: simple

Used by	Elements form_header, item
Source	<pre><xsd:element name="delivery_date" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Delivery</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element delivery_time

Namespace	No namespace
Annotations	Time of Delivery
Type	short_time
Properties	content: simple
Facets	pattern (([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Elements form_header, item
Source	<pre><xsd:element name="delivery_time" type="short_time"> <xsd:annotation> <xsd:documentation>Time of Delivery</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element delivery_date_format

Namespace	No namespace		
Annotations	Date of Delivery - Format Qualifier		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Elements	form_header, item	
Source	<pre><xsd:element name="delivery_date_format"> <xsd:annotation> <xsd:documentation>Date of Delivery - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="203"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD, HH:MM</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element receiving_date

Namespace	No namespace
Annotations	Receiving Date
Type	xsd:date
Properties	content: simple
Used by	Elements form_header, item
Source	<pre><xsd:element name="receiving_date" type="xsd:date"> <xsd:annotation> <xsd:documentation>Receiving Date</xsd:documentation> </xsd:annotation></pre>

</xsd:element>

Element receiving_time

Namespace	No namespace	
Annotations	Receiving Time	
Type	short_time	
Properties	content:	simple
Facets	pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Elements	form_header, item
Source	<pre><xsd:element name="receiving_time" type="short_time"> <xsd:annotation> <xsd:documentation>Receiving Time</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element receiving_date_format

Namespace	No namespace	
Annotations	Receiving Date - Format Qualifier	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	enumeration	102 YYYY-MM-DD
	enumeration	203 YYYY-MM-DD, HH:MM
Used by	Elements	form_header, item
Source	<pre><xsd:element name="receiving_date_format"> <xsd:annotation> <xsd:documentation>Receiving Date - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="203"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD, HH:MM</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element registration

Namespace	No namespace	
Annotations	Supplier's Business Register Legal Certificate	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	140
Used by	Element	form_header
Source	<pre><xsd:element name="registration"> <xsd:annotation> <xsd:documentation>Supplier's Business Register Legal Certificate</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="140"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

```
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

Element references

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(order_number{0,1} date_of_order{0,1} date_of_order_format{0,1} supplier_order_number{0,1} date_of_supplier_order{0,1} date_of_supplier_order_format{0,1} delivery_note_number{0,1} date_of_delivery_note{0,1} date_of_delivery_note_format{0,1} receipt_number{0,1} date_of_receipt{0,1} date_of_receipt_format{0,1})
Children	date_of_delivery_note, date_of_delivery_note_format, date_of_order, date_of_order_format, date_of_receipt, date_of_receipt_format, date_of_supplier_order, date_of_supplier_order_format, delivery_note_number, order_number, receipt_number, supplier_order_number
Instance	<pre><references> <order_number>{0,1}</order_number> <date_of_order>{0,1}</date_of_order> <date_of_order_format>{0,1}</date_of_order_format> <supplier_order_number>{0,1}</supplier_order_number> <date_of_supplier_order>{0,1}</date_of_supplier_order> <date_of_supplier_order_format>{0,1}</date_of_supplier_order_format> <delivery_note_number>{0,1}</delivery_note_number> <date_of_delivery_note>{0,1}</date_of_delivery_note> <date_of_delivery_note_format>{0,1}</date_of_delivery_note_format> <receipt_number>{0,1}</receipt_number> <date_of_receipt>{0,1}</date_of_receipt> <date_of_receipt_format>{0,1}</date_of_receipt_format> </references></pre>
Source	<pre><xsd:element name="references"> <xsd:complexType> <xsd:all> <xsd:element ref="order_number" minOccurs="0"/> <xsd:element ref="date_of_order" minOccurs="0"/> <xsd:element ref="date_of_order_format" minOccurs="0"/> <xsd:element ref="supplier_order_number" minOccurs="0"/> <xsd:element ref="date_of_supplier_order" minOccurs="0"/> <xsd:element ref="date_of_supplier_order_format" minOccurs="0"/> <xsd:element ref="delivery_note_number" minOccurs="0"/> <xsd:element ref="date_of_delivery_note" minOccurs="0"/> <xsd:element ref="date_of_delivery_note_format" minOccurs="0"/> <xsd:element ref="receipt_number" minOccurs="0"/> <xsd:element ref="date_of_receipt" minOccurs="0"/> <xsd:element ref="date_of_receipt_format" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element order_number

Namespace	No namespace				
Annotations	Customer Purchase Order Number				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Elements item, references				
Source	<pre><xsd:element name="order_number"> <xsd:annotation> <xsd:documentation>Customer Purchase Order Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>				

Element date_of_order

Namespace	No namespace
Annotations	Date of Purchase Order Issue
Type	xsd:date
Properties	content: simple
Used by	Elements item, referencies
Source	<pre><xsd:element name="date_of_order" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Purchase Order Issue</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element date_of_order_format

Namespace	No namespace		
Annotations	Date of Purchase Order Issue - Format Qualifier		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	102	YYYY-MM-DD
Used by	Elements	item, referencies	
Source	<pre><xsd:element name="date_of_order_format"> <xsd:annotation> <xsd:documentation>Date of Purchase Order Issue - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element supplier_order_number

Namespace	No namespace				
Annotations	Supplier Purchase Order Number				
Type	restriction of xsd:string				
Properties	content: simple				
Facets	<table> <tr> <td>minLength</td><td>1</td></tr> <tr> <td>maxLength</td><td>15</td></tr> </table>	minLength	1	maxLength	15
minLength	1				
maxLength	15				
Used by	Elements item, referencies				
Source	<pre><xsd:element name="supplier_order_number"> <xsd:annotation> <xsd:documentation>Supplier Purchase Order Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>				

Element date_of_supplier_order

Namespace	No namespace
Annotations	Date of Receicing Purchase Order by Supplier
Type	xsd:date

Properties	content: simple
Used by	Elements item, referencies
Source	<pre><xsd:element name="date_of_supplier_order" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Receicing Purchase Order by Supplier</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element date_of_supplier_order_format

Namespace	No namespace
Annotations	Date of Receicing Purchase Order by Supplier - Format Qualifier
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration 102 YYYY-MM-DD
Used by	Elements item, referencies
Source	<pre><xsd:element name="date_of_supplier_order_format"> <xsd:annotation> <xsd:documentation>Date of Receicing Purchase Order by Supplier - Format Qualifier</ xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element delivery_note_number

Namespace	No namespace
Annotations	Delivery Note Number
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 15
Used by	Elements item, referencies
Source	<pre><xsd:element name="delivery_note_number"> <xsd:annotation> <xsd:documentation>Delivery Note Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element date_of_delivery_note

Namespace	No namespace
Annotations	Date of Delivery Note Issue
Type	xsd:date
Properties	content: simple
Used by	Elements item, referencies
Source	<pre><xsd:element name="date_of_delivery_note" type="xsd:date"> <xsd:annotation></pre>

	<pre> <xsd:documentation>Date of Delivery Note Issue</xsd:documentation> </xsd:annotation> </xsd:element> </pre>
--	------------------------------------------------------------------------------------------------------------------------------------------

Element date_of_delivery_note_format

Namespace	No namespace
Annotations	Date of Delivery Note Issue - Format Qualifier
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration 102 YYYY-MM-DD
Used by	Elements item, referencies
Source	<pre> <xsd:element name="date_of_delivery_note_format"> <xsd:annotation> <xsd:documentation>Date of Delivery Note Issue - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element receipt_number

Namespace	No namespace
Annotations	Receipt Number
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 15
Used by	Elements item, referencies
Source	<pre> <xsd:element name="receipt_number"> <xsd:annotation> <xsd:documentation>Receipt Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element date_of_receipt

Namespace	No namespace
Annotations	Date of Receipt
Type	xsd:date
Properties	content: simple
Used by	Elements item, referencies
Source	<pre> <xsd:element name="date_of_receipt" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Receipt</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element date_of_receipt_format

Namespace	No namespace
-----------	--------------

Annotations	Date of Receipt - Format Qualifier
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration 102 YYYY-MM-DD
Used by	Elements item, referencies
Source	<pre> <xsd:element name="date_of_receipt_format"> <xsd:annotation> <xsd:documentation>Date of Receipt - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element buyer

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} tax_id{0,1} company_id{0,1} fiscal_id{0,1} add_id{0,1})
Children	add_id, company_id, country_code, fiscal_id, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id
Instance	<pre> <buyer> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> <party_name_3>{0,1}</party_name_3> <party_name_4>{0,1}</party_name_4> <party_name_5>{0,1}</party_name_5> <street_1>{0,1}</street_1> <street_2>{0,1}</street_2> <street_3>{0,1}</street_3> <street_4>{0,1}</street_4> <place>{0,1}</place> <postcode>{0,1}</postcode> <country_code>{0,1}</country_code> <tax_id>{0,1}</tax_id> <company_id>{0,1}</company_id> <fiscal_id>{0,1}</fiscal_id> <add_id>{0,1}</add_id> </buyer> </pre>
Source	<pre> <xsd:element name="buyer"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> <xsd:element ref="party_name_3" minOccurs="0"/> <xsd:element ref="party_name_4" minOccurs="0"/> <xsd:element ref="party_name_5" minOccurs="0"/> <xsd:element ref="street_1" minOccurs="0"/> <xsd:element ref="street_2" minOccurs="0"/> <xsd:element ref="street_3" minOccurs="0"/> <xsd:element ref="street_4" minOccurs="0"/> <xsd:element ref="place" minOccurs="0"/> <xsd:element ref="postcode" minOccurs="0"/> <xsd:element ref="country_code" minOccurs="0"/> <xsd:element ref="tax_id" minOccurs="0"/> <xsd:element ref="company_id" minOccurs="0"/> <xsd:element ref="fiscal_id" minOccurs="0"/> <xsd:element ref="add_id" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

```
</xsd:complexType>
</xsd:element>
```

Element party_qualifier

Namespace	No namespace
Annotations	Party Qualifier
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration BY Buyer
	enumeration OB Purchaser
	enumeration DP Place of Delivery
	enumeration IV Invoice Place
	enumeration SU Supplier
	enumeration SF Storehouse
Used by	Elements buyer, delivery_place, invoicee, purchaser, storehouse, supplier
Source	<pre><xsd:element name="party_qualifier"> <xsd:annotation> <xsd:documentation>Party Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="BY"> <xsd:annotation> <xsd:documentation>Buyer</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="OB"> <xsd:annotation> <xsd:documentation>Purchaser</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="DP"> <xsd:annotation> <xsd:documentation>Place of Delivery</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="IV"> <xsd:annotation> <xsd:documentation>Invoice Place</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="SU"> <xsd:annotation> <xsd:documentation>Supplier</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="SF"> <xsd:annotation> <xsd:documentation>Storehouse</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element party_ean

Namespace	No namespace
Annotations	Party GLN (13-digit Number)
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 13
Used by	Elements buyer, delivery_place, invoicee, purchaser, storehouse, supplier
Source	<pre><xsd:element name="party_ean"></pre>

```
<xsd:annotation>
  <xsd:documentation>Party GLN (13-digit Number)</xsd:documentation>
</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="13"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

Element party_name_1

Namespace	No namespace
Annotations	Business Name - 1
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, invoicee, purchaser, storehouse, supplier
Source	<pre><xsd:element name="party_name_1"> <xsd:annotation> <xsd:documentation>Business Name - 1</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element party_name_2

Namespace	No namespace
Annotations	Business Name - 2
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, invoicee, purchaser, storehouse, supplier
Source	<pre><xsd:element name="party_name_2"> <xsd:annotation> <xsd:documentation>Business Name - 2</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element party_name_3

Namespace	No namespace
Annotations	Business Name - 3
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, supplier

Source	<pre> <xsd:element name="party_name_3"> <xsd:annotation> <xsd:documentation>Business Name - 3</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Element party_name_4

Namespace	No namespace
Annotations	Business Name - 4
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, supplier
Source	<pre> <xsd:element name="party_name_4"> <xsd:annotation> <xsd:documentation>Business Name - 4</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element party_name_5

Namespace	No namespace
Annotations	Business Name - 5
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, supplier
Source	<pre> <xsd:element name="party_name_5"> <xsd:annotation> <xsd:documentation>Business Name - 5</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element street_1

Namespace	No namespace
Annotations	Address - Street and Number - 1
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35

Used by	Elements buyer, delivery_place, supplier
Source	<pre> <xsd:element name="street_1"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 1</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element street_2

Namespace	No namespace
Annotations	Address - Street and Number - 2
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, supplier
Source	<pre> <xsd:element name="street_2"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 2</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element street_3

Namespace	No namespace
Annotations	Address - Street and Number - 3
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 35
Used by	Elements buyer, delivery_place, supplier
Source	<pre> <xsd:element name="street_3"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 3</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element street_4

Namespace	No namespace
Annotations	Address - Street and Number - 4
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1

	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<pre><xsd:element name="street_4"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 4</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element place

Namespace	No namespace	
Annotations	Address - City	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<pre><xsd:element name="place"> <xsd:annotation> <xsd:documentation>Address - City</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element postcode

Namespace	No namespace	
Annotations	Address - Postcode	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	17
Used by	Elements	buyer, delivery_place, supplier
Source	<pre><xsd:element name="postcode"> <xsd:annotation> <xsd:documentation>Address - Postcode</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="17"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element country_code

Namespace	No namespace	
Annotations	Address - Code of Country	
Type	restriction of xsd:string	
Properties	content:	simple

Facets	minLength	1
	maxLength	6
Used by	Elements	buyer, delivery_place, supplier
Source	<pre><xsd:element name="country_code"> <xsd:annotation> <xsd:documentation>Address - Code of Country</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="6"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element tax_id

Namespace	No namespace	
Annotations	TAX ID	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="tax_id"> <xsd:annotation> <xsd:documentation>TAX ID</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element company_id

Namespace	No namespace	
Annotations	Company ID	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="company_id"> <xsd:annotation> <xsd:documentation>Company ID</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element fiscal_id

Namespace	No namespace	
Annotations	Fiscal ID (obligatory if not assigned)	
Type	restriction of xsd:string	

Properties	content:	simple
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="fiscal_id"> <xsd:annotation> <xsd:documentation>Fiscal ID (obligatory if not assigned)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element add_id

Namespace	No namespace	
Annotations	Additional ID (internal number according buyer)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="add_id"> <xsd:annotation> <xsd:documentation>Additional ID (internal number according buyer)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element purchaser

Namespace	No namespace	
Properties	content:	complex
Used by	Element	form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1})	
Children	party_ean, party_name_1, party_name_2, party_qualifier	
Instance	<pre><purchaser> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> </purchaser></pre>	
Source	<pre><xsd:element name="purchaser"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>	

Element delivery_place

Namespace	No namespace	
-----------	--------------	--

Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1})
Children	country_code, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4
Instance	<pre> <delivery_place> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> <party_name_3>{0,1}</party_name_3> <party_name_4>{0,1}</party_name_4> <party_name_5>{0,1}</party_name_5> <street_1>{0,1}</street_1> <street_2>{0,1}</street_2> <street_3>{0,1}</street_3> <street_4>{0,1}</street_4> <place>{0,1}</place> <postcode>{0,1}</postcode> <country_code>{0,1}</country_code> </delivery_place> </pre>
Source	<pre> <xsd:element name="delivery_place"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> <xsd:element ref="party_name_3" minOccurs="0"/> <xsd:element ref="party_name_4" minOccurs="0"/> <xsd:element ref="party_name_5" minOccurs="0"/> <xsd:element ref="street_1" minOccurs="0"/> <xsd:element ref="street_2" minOccurs="0"/> <xsd:element ref="street_3" minOccurs="0"/> <xsd:element ref="street_4" minOccurs="0"/> <xsd:element ref="place" minOccurs="0"/> <xsd:element ref="postcode" minOccurs="0"/> <xsd:element ref="country_code" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element invoicee

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1})
Children	party_ean, party_name_1, party_name_2, party_qualifier
Instance	<pre> <invoicee> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> </invoicee> </pre>
Source	<pre> <xsd:element name="invoicee"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element supplier

Namespace	No namespace
-----------	--------------

Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} tax_id{0,1} company_id{0,1} fiscal_id{0,1} add_id{0,1})
Children	add_id, company_id, country_code, fiscal_id, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id
Instance	<pre> <supplier> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> <party_name_3>{0,1}</party_name_3> <party_name_4>{0,1}</party_name_4> <party_name_5>{0,1}</party_name_5> <street_1>{0,1}</street_1> <street_2>{0,1}</street_2> <street_3>{0,1}</street_3> <street_4>{0,1}</street_4> <place>{0,1}</place> <postcode>{0,1}</postcode> <country_code>{0,1}</country_code> <tax_id>{0,1}</tax_id> <company_id>{0,1}</company_id> <fiscal_id>{0,1}</fiscal_id> <add_id>{0,1}</add_id> </supplier> </pre>
Source	<pre> <xsd:element name="supplier"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> <xsd:element ref="party_name_3" minOccurs="0"/> <xsd:element ref="party_name_4" minOccurs="0"/> <xsd:element ref="party_name_5" minOccurs="0"/> <xsd:element ref="street_1" minOccurs="0"/> <xsd:element ref="street_2" minOccurs="0"/> <xsd:element ref="street_3" minOccurs="0"/> <xsd:element ref="street_4" minOccurs="0"/> <xsd:element ref="place" minOccurs="0"/> <xsd:element ref="postcode" minOccurs="0"/> <xsd:element ref="country_code" minOccurs="0"/> <xsd:element ref="tax_id" minOccurs="0"/> <xsd:element ref="company_id" minOccurs="0"/> <xsd:element ref="fiscal_id" minOccurs="0"/> <xsd:element ref="add_id" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element storehouse

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1})
Children	party_ean, party_name_1, party_name_2, party_qualifier
Instance	<pre> <storehouse> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> </storehouse> </pre>
Source	<pre> <xsd:element name="storehouse"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

	<pre> </xsd:all> </xsd:complexType> </xsd:element> </pre>
--	-----------------------------------------------------------------------------

Element line_items

Namespace	No namespace
Properties	content: complex
Used by	Element xml_document
Model	item*
Children	item
Instance	<pre> <line_items> <item>{0,unbounded}</item> </line_items> </pre>
Source	<pre> <xsd:element name="line_items"> <xsd:complexType> <xsd:sequence> <xsd:element maxOccurs="unbounded" ref="item" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

Element item

Namespace	No namespace
Properties	content: complex
Used by	Element line_items
Model	ALL(item_number article_ean article_number{0,1} article_number_buyer{0,1} specification{0,1} item_type{0,1} net_price{0,1} gross_price{0,1} total_price{0,1} vat_rate{0,1} quantity_ordered{0,1} quantity_delivered{0,1} quantity_received{0,1} delivery_date{0,1} delivery_time{0,1} delivery_date_format{0,1} receiving_date{0,1} receiving_time{0,1} receiving_date_format{0,1} order_number{0,1} date_of_order{0,1} date_of_order_format{0,1} supplier_order_number{0,1} date_of_supplier_order{0,1} date_of_supplier_order_format{0,1} delivery_note_number{0,1} date_of_delivery_note{0,1} date_of_delivery_note_format{0,1} receipt_number{0,1} date_of_receipt{0,1} date_of_receipt_format{0,1})
Children	article_ean, article_number, article_number_buyer, date_of_delivery_note, date_of_delivery_note_format, date_of_order, date_of_order_format, date_of_receipt, date_of_receipt_format, date_of_supplier_order, date_of_supplier_order_format, delivery_date, delivery_date_format, delivery_note_number, delivery_time, gross_price, item_number, item_type, net_price, order_number, quantity_delivered, quantity_ordered, quantity_received, receipt_number, receiving_date, receiving_date_format, receiving_time, specification, supplier_order_number, total_price, unit, vat_rate
Instance	<pre> <item> <item_number>{1,1}</item_number> <article_ean>{1,1}</article_ean> <article_number>{0,1}</article_number> <article_number_buyer>{0,1}</article_number_buyer> <specification>{0,1}</specification> <item_type>{0,1}</item_type> <net_price>{0,1}</net_price> <gross_price>{0,1}</gross_price> <total_price>{0,1}</total_price> <vat_rate>{0,1}</vat_rate> <quantity_ordered>{0,1}</quantity_ordered> <quantity_delivered>{0,1}</quantity_delivered> <quantity_received>{1,1}</quantity_received> <unit>{0,1}</unit> <delivery_date>{0,1}</delivery_date> <delivery_time>{0,1}</delivery_time> <delivery_date_format>{0,1}</delivery_date_format> <receiving_date>{0,1}</receiving_date> <receiving_time>{0,1}</receiving_time> <receiving_date_format>{0,1}</receiving_date_format> <order_number>{0,1}</order_number> <date_of_order>{0,1}</date_of_order> <date_of_order_format>{0,1}</date_of_order_format> <supplier_order_number>{0,1}</supplier_order_number> <date_of_supplier_order>{0,1}</date_of_supplier_order> <date_of_supplier_order_format>{0,1}</date_of_supplier_order_format> <delivery_note_number>{0,1}</delivery_note_number> <date_of_delivery_note>{0,1}</date_of_delivery_note> <date_of_delivery_note_format>{0,1}</date_of_delivery_note_format> <receipt_number>{0,1}</receipt_number> <date_of_receipt>{0,1}</date_of_receipt> </pre>

	<pre> <date_of_receipt_format>{0,1}</date_of_receipt_format> </item> </pre>
Source	<pre> <xsd:element name="item"> <xsd:complexType> <xsd:all> <xsd:element ref="item_number"/> <xsd:element ref="article_ean"/> <xsd:element ref="article_number" minOccurs="0"/> <xsd:element ref="article_number_buyer" minOccurs="0"/> <xsd:element ref="specification" minOccurs="0"/> <xsd:element ref="item_type" minOccurs="0"/> <xsd:element ref="net_price" minOccurs="0"/> <xsd:element ref="gross_price" minOccurs="0"/> <xsd:element ref="total_price" minOccurs="0"/> <xsd:element ref="vat_rate" minOccurs="0"/> <xsd:element ref="quantity_ordered" minOccurs="0"/> <xsd:element ref="quantity_delivered" minOccurs="0"/> <xsd:element ref="quantity_received"/> <xsd:element ref="unit" minOccurs="0"/> <xsd:element ref="delivery_date" minOccurs="0"/> <xsd:element ref="delivery_time" minOccurs="0"/> <xsd:element ref="delivery_date_format" minOccurs="0"/> <xsd:element ref="receiving_date" minOccurs="0"/> <xsd:element ref="receiving_time" minOccurs="0"/> <xsd:element ref="receiving_date_format" minOccurs="0"/> <xsd:element ref="order_number" minOccurs="0"/> <xsd:element ref="date_of_order" minOccurs="0"/> <xsd:element ref="date_of_order_format" minOccurs="0"/> <xsd:element ref="supplier_order_number" minOccurs="0"/> <xsd:element ref="date_of_supplier_order" minOccurs="0"/> <xsd:element ref="date_of_supplier_order_format" minOccurs="0"/> <xsd:element ref="delivery_note_number" minOccurs="0"/> <xsd:element ref="date_of_delivery_note" minOccurs="0"/> <xsd:element ref="date_of_delivery_note_format" minOccurs="0"/> <xsd:element ref="receipt_number" minOccurs="0"/> <xsd:element ref="date_of_receipt" minOccurs="0"/> <xsd:element ref="date_of_receipt_format" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element item_number

Namespace	No namespace
Annotations	Item Number
Type	restriction of xsd:positiveInteger
Properties	content: simple
Facets	totalDigits 6
Used by	Element item
Source	<pre> <xsd:element name="item_number"> <xsd:annotation> <xsd:documentation>Item Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:positiveInteger"> <xsd:totalDigits value="6"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element article_ean

Namespace	No namespace
Annotations	GTIN (Article EAN)
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 14
Used by	Element item

Source	<pre> <xsd:element name="article_ean"> <xsd:annotation> <xsd:documentation>GTIN (Article EAN)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Element article_number

Namespace	No namespace	
Annotations	Article Number According to Supplier	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	25
Used by	Element	item
Source	<pre> <xsd:element name="article_number"> <xsd:annotation> <xsd:documentation>Article Number According to Supplier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="25"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element article_number_buyer

Namespace	No namespace	
Annotations	Article Number According to Buyer	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	25
Used by	Element	item
Source	<pre> <xsd:element name="article_number_buyer"> <xsd:annotation> <xsd:documentation>Article Number According to Buyer</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="25"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element specification

Namespace	No namespace	
Annotations	Specification - free text (Item Specification)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35

Used by	Element item
Source	<pre> <xsd:element name="specification"> <xsd:annotation> <xsd:documentation>Specification - free text (Item Specification)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element item_type

Namespace	No namespace
Annotations	Item Type
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration Z Goods
	enumeration O Packaging
Used by	Element item
Source	<pre> <xsd:element name="item_type"> <xsd:annotation> <xsd:documentation>Item Type</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Z"> <xsd:annotation> <xsd:documentation>Goods</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="O"> <xsd:annotation> <xsd:documentation>Packaging</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element net_price

Namespace	No namespace
Annotations	Price after Discount/Surcharge Without VAT (netto)
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 12
	fractionDigits 4
	pattern (.?){12}
Used by	Element item
Source	<pre> <xsd:element name="net_price"> <xsd:annotation> <xsd:documentation>Price after Discount/Surcharge Without VAT (netto)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.?){12}"/> </xsd:restriction> </xsd:simpleType> </pre>

</xsd:element>

Element gross_price

Namespace	No namespace	
Annotations	Gross Price before Discount/Surcharge Without VAT (brutto)	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	4
	pattern	(.?) {12}
Used by	Element	item
Source	<pre> <xsd:element name="gross_price"> <xsd:annotation> <xsd:documentation>Gross Price before Discount/Surcharge Without VAT (brutto)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.) {12}"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element total_price

Namespace	No namespace	
Annotations	Total Price of the Line Item	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	4
	pattern	(.?) {12}
Used by	Element	item
Source	<pre> <xsd:element name="total_price"> <xsd:annotation> <xsd:documentation>Total Price of the Line Item</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.) {12}"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element vat_rate

Namespace	No namespace	
Annotations	VAT Rate	
Type	restriction of xsd:decimal	
Properties	content:	simple

Facets	totalDigits	4
	fractionDigits	2
	maxInclusive	100
Used by	Element	item
Source	<pre> <xsd:element name="vat_rate"> <xsd:annotation> <xsd:documentation>VAT Rate</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 5 including 2 decimal places and delimiter (dot)</ xsd:documentation> </xsd:annotation> <xsd:totalDigits value="4"/> <xsd:fractionDigits value="2"/> <xsd:maxInclusive value="100"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element quantity_ordered

Namespace	No namespace	
Annotations	Ordered Quantity	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	3
	pattern	(.?) {12}
Used by	Element	item
Source	<pre> <xsd:element name="quantity_ordered"> <xsd:annotation> <xsd:documentation>Ordered Quantity</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 including 3 decimal places and delimiter (dot)</ xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="3"/> <xsd:pattern value="(.?) {12}"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element quantity_delivered

Namespace	No namespace	
Annotations	Delivered Quantity	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	3
	pattern	(.?) {12}
Used by	Element	item
Source	<pre> <xsd:element name="quantity_delivered"> <xsd:annotation> <xsd:documentation>Delivered Quantity</xsd:documentation> </xsd:annotation> <xsd:simpleType> </pre>	

```

<xsd:restriction base="xsd:decimal">
  <xsd:annotation>
    <xsd:documentation>Digits Number: 12 including 3 decimal places and delimiter (dot)</xsd:documentation>
  </xsd:annotation>
  <xsd:totalDigits value="12"/>
  <xsd:fractionDigits value="3"/>
  <xsd:pattern value="(.){12}"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element quantity_received

Namespace	No namespace
Annotations	Received Quantity
Type	restriction of xsd:decimal
Properties	content: simple
Facets	totalDigits 12
	fractionDigits 3
	pattern (.){12}
Used by	Element item
Source	<pre> <xsd:element name="quantity_received"> <xsd:annotation> <xsd:documentation>Received Quantity</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 including 3 decimal places and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="3"/> <xsd:pattern value="(.){12}"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Element unit

Namespace	No namespace
Annotations	Quantity - Measurement Unit
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1
	maxLength 3
Used by	Element item
Source	<pre> <xsd:element name="unit"> <xsd:annotation> <xsd:documentation>Quantity - Measurement Unit</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>

Simple Type(s)

Simple Type short_time

Namespace	No namespace
Type	restriction of xsd:string

Facets	pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9]
Used by	Elements	delivery_time, receiving_time
Source	<pre><xsd:simpleType name="short_time"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(([0-1][0-9]) (2[0-3])):[0-5][0-9]" /> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type time

Namespace	No namespace	
Type	restriction of xsd:string	
Facets	pattern	(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?
Source	<pre><xsd:simpleType name="time"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?" /> </xsd:restriction> </xsd:simpleType></pre>	

Attribute(s)

Attribute xml_document / @type_identifier

Namespace	No namespace	
Properties	use:	required
Used by	Element	xml_document
Source	<xsd:attribute name="type_identifier" use="required" />	

Attribute xml_document / @version_number

Namespace	No namespace	
Used by	Element	xml_document
Source	<xsd:attribute name="version_number" />	

Attribute xml_document / @subversion_number

Namespace	No namespace	
Used by	Element	xml_document
Source	<xsd:attribute name="subversion_number" />	

Attribute @type_identifier

Namespace	No namespace	
Annotations	Document Type	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	length	6
Source	<pre><xsd:attribute name="type_identifier"> <xsd:annotation> <xsd:documentation>Document Type</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:length value="6" /> </xsd:restriction> </xsd:simpleType> </xsd:attribute></pre>	

Attribute @version_number

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Source	<pre><xsd:attribute name="version_number"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute></pre>	

Attribute @subversion_number

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Source	<pre><xsd:attribute name="subversion_number"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute></pre>	